FIREFLY®



GAWANG FIREFLY® GAWA SA HUSAY


SEPTEMBER 2025
FIREFLY PRICE LIST
(Prices and specifications are subject to change without prior notice)

FELCO™
FIREFLY ELECTRIC & LIGHTING CORPORATION
7/F Zen Offices Bldg. 1111 Natividad Lopez St., Ermita, Manila, Philippines
(02) 8789-1000 (Trunkline)
info@fireflyelectric.com
www.fireflyelectric.com
@FireflyLightingPH

Contact Person:


SMART PRODUCTS


LED PRO Series INDOOR LIGHTING



LED PRO Series OUTDOOR LIGHTING



LED BASIC Series DOWNLIGHTS


LED BASIC Series CEILING LAMPS


LED BASIC Series BULBS



LED BASIC Series TUBES & FIXTURES


LED BASIC Series WALL LAMPS


LED BASIC Series SOLAR LAMPS & OUTDOOR LIGHTING



PENDANT LAMPS & CEILING LIGHT FIXTURES


CONVENTIONAL LIGHT SOURCE & FIXTURES


LIGHTING DEVICES

FIREFLY® SMART SOLUTIONS


A Touch of Quality Living



REMOTE ACCESS | TIMER FUNCTION | ACTIVATE VIA VOICE CONTROL | GROUP CONTROL | SCENES | NO FLICKER | NO PHOTOBIOLOGICAL HAZARD | DIMMABLE













Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Color Temperature (K)	Cut-out Size Ømm	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
LED DOWNLIGHTS								
New! **Smart LED Downlight (RGB + CCT + Dimming)**				**170-240V** OPERATING VOLTAGE	**25,000H** LIFE HOURS	**100°** BEAM ANGLE	**CRI ≥85** COLOR RENDERING INDEX	
FSD108RCD	8	800	100	3000K - 6500K	90-110	114 x 60	**40**	**750.00**
**Color changing up to 16 million colors*								
Smart LED Downlight (CCT + Dimming)				**100-240V** OPERATING VOLTAGE	**25,000H** LIFE HOURS	**100°** BEAM ANGLE	**CRI ≥85** COLOR RENDERING INDEX	
FSD108CD	8	800	110	3000K - 6500K	90-110	114 x 60	**40**	**700.00**

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Color Temperature (K)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
LED CEILING LAMPS							
New! **Smart LED Ceiling Lamp (RGB + CCT + Dimming)**				**100-240V** OPERATING VOLTAGE	**25,000H** LIFE HOURS	**100°** BEAM ANGLE	**CRI ≥85** COLOR RENDERING INDEX	
FSD2118RCD	18	1566	87	RGB* + CCT	285 x 60	**5**	**1,900.00**
FSD2124RCD	24	2040	85	RGB* + CCT	335 x 60	**5**	**2,100.00**
**Color changing up to 16 million colors*							
Smart LED Ceiling Lamp (CCT + Dimming)				**100-240V** OPERATING VOLTAGE	**25,000H** LIFE HOURS	**100°** BEAM ANGLE	**CRI ≥85** COLOR RENDERING INDEX	
FSD2118CD	18	1800	1800	3000K - 6500K	285 x 60	**5**	**1,850.00**

SMART PRODUCTS

FIREFLY SMART SOLUTIONS







Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Color Temperature (K)	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)

LED BULBS

Smart LED Bulb (RGB + CCT + Dimming)

100-240V OPERATING VOLTAGE | 20,000H LIFE HOURS | 200° BEAM ANGLE | CRI ≥85 COLOR RENDERING INDEX

FSB109RCD	9	900	100	RGB* + CCT	E27	60 x 114	60	420.00
FSB115RCD	15	1500	100	RGB* + CCT	E27	75 x 141.4	60	495.00

Color changing up to 16 million colors

Smart LED Bulb (CCT + Dimming)

100-240V OPERATING VOLTAGE | 20,000H LIFE HOURS | 200° BEAM ANGLE | CRI ≥85 COLOR RENDERING INDEX

FSB109CD	9	900	100	3000K - 6500K	E27	60 x 114	60	360.00
FSB115CD	15	1500	100	3000K - 6500K	E27	75 x 141.4	60	435.00

LED STRIP LIGHT

Smart LED Strip Light (RGBW + CCT + Dimming)

12V INPUT VOLTAGE | 25,000H LIFE HOURS | 100° BEAM ANGLE | CRI ≥80 COLOR RENDERING INDEX

FST101	11	160	70	RGB* + CCT	12 x 3 x 5000	20	1,550.00

- Length : 5 Meters
- LED Chips / Meter : 90 LEDs

Linkable | Music Sync | Cuttable | RGBW + CCT

Color changing up to 16 million colors



Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)

SMART ACCESSORIES

Smart Plug

FSP101		200	400.00

- Input Voltage : 100-240V 50/60Hz
- Maximum Current : 10A
- Maximum Load : 2000W
- Wireless Frequency : WiFi 2.4GHz
- WiFi Standard : IEEE 802.11 b/g/n
- Standby Power : <0.5W

Remote Access | Set ON/OFF Schedule | Timer Function | Voice Control | Overload Protection | Device Sharing

SMART CAMERAS



Smart Pan & Tilt Camera

FSC101		50	1,920.00

- Input Voltage : 5V DC/1A
- Display Resolution : Up to 1080p
- Audio Input/Output : Built-in Mic and Speaker
- Motion Detection : Up to 5 meters
- Remote Access : P2P
- Application : Indoor use only

Motion Detection & Notification | Motion Tracking | IR Night Vision (5m IR) | Video Quality | Remote Viewing | 2-Way Communication | Viewing Angle (135°) | Privacy Mode | MicroSD Card Slot (Up to 128GB) | Device Sharing



Smart Adjustable Fixed Camera

FSC201		50	1,725.00

- Input Voltage : 5V DC/1A
- Display Resolution : Up to 1080p
- Audio Input/Output : Built-in Mic and Speaker
- Motion Detection : Up to 5 meters
- Remote Access : P2P
- Application : Indoor use only

Motion Detection & Notification | IR Night Vision (5m IR) | Video Quality | Remote Viewing | 2-Way Communication | Viewing Angle (135°) | Manual Rotation & Tilting | Privacy Mode | MicroSD Card Slot (Up to 128GB) | Device Sharing

LED INDOOR LIGHTING

FIREFLY PRO Series

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX
CRI ≥80



LED DOWNLIGHTS

Water Resistant


Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
				30,000H LIFE HOURS	220-240V OPERATING VOLTAGE	110° BEAM ANGLE	IP44 IP RATING
FDL2505DL*	5W	480	95	Ø 120 x 35	Ø 100	20	**375.00**
FDL2505WW*	5W	460	92	Ø 120 x 35	Ø 100	20	**375.00**
FDL2509DL*	9W	960	107	Ø 170 x 35	Ø 150	20	**585.00**
FDL2509WW*	9W	910	101	Ø 170 x 35	Ø 150	20	**585.00**

Non-Dimmable

Tiltable

				30,000H LIFE HOURS	220-240V OPERATING VOLTAGE	36° BEAM ANGLE	
FDL2407WW*	7W	580	83	Ø 85 x 60	Ø 68 - Ø 75	120	**470.00**
FDL2410WW*	10W	900	90	Ø 105 x 71	Ø 83 - Ø 95	80	**590.00**

Non-Dimmable




LED CEILING LAMPS



3-COLOR CEILING LAMPS with Remote Control

				25,000H LIFE HOURS	220-240V OPERATING VOLTAGE	120° BEAM ANGLE	
FCL614RC	14W	1260	90	Ø 300 x 65	5		**1,300.00**
FCL619RC	19W	1710	90	Ø 300 x 65	5		**1,500.00**


Dimmable. To be used with standard switch only. Not to be used with any dimming devices.



3 Step Dimming Ceiling Lamp with E27 Pendant Socket

				25,000H LIFE HOURS	110-277V OPERATING VOLTAGE	360° BEAM ANGLE	E27 LAMP BASE	
FCL238012CW/W (White)	12W 9W 3W	1100	92	75 x Ø 192	6			**900.00**
FCL238012WW/B (Black)	12W 9W 3W	1100	92	75 x Ø 192	6			**900.00**

Dimmable. To be used with standard switch only. Not to be used with any dimming devices.




FUNCTIONAL LED CEILING LAMP

Bluetooth SPEAKER 3-COLOR CEILING LAMP

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
				25,000H LIFE HOURS	100-240V OPERATING VOLTAGE	120° BEAM ANGLE
FCL625TC	20W	1350 1350 1200	68 68 60	Ø 356 x 86	5	**2,500.00**

Non-Dimmable



LED SHOP LIGHTS

Track Light

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
			30,000H LIFE HOURS	100-240V OPERATING VOLTAGE	24° BEAM ANGLE	90 HIGH CRI
FTL1112WW*	12W	1100	92	132 x 169mm x Ø 52	20	**1,425.00**
FTL1118WW*	18W	1600	89	132 x 190mm x Ø 60	20	**1,960.00**
FTL1125WW*	25W	2200	88	132 x 190mm x Ø 60	20	**2,565.00**
FTL1135WW*	35W	3000	86	180 x 233mm x Ø 80	20	**2,960.00**



Accessory: Track Bar for LED Track Light
FTL1000WH*
SRP: 450.00

Color : White
Material : Aluminum
Dimensions : 1000 x 34 x 17 mm

*Phased out (PHO) / Until supplies last (USL) items

LED INDOOR LIGHTING

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

LAMP BASE E27

COLOR RENDERING INDEX CRI ≥80

DIMENSIONS

LED A-BULBS

30,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **200°** BEAM ANGLE

A-Bulb Singles

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBI206DL	6W	840	140	5★	60 x 110	40	**115.00**
FBI206WW	6W	780	130	5★	60 x 110	40	**115.00**
FBI206CW	6W	840	140	5★	60 x 110	40	**115.00**
FBI210DL	10W	1400	140	5★	60 x 120	40	**160.00**
FBI210WW	10W	1250	125	5★	60 x 120	40	**160.00**
FBI210CW	10W	1300	130	5★	60 x 120	40	**160.00**
FBI214DL	14W	1950	139	5★	67 x 145	40	**280.00**
FBI214WW	14W	1800	129	5★	67 x 145	40	**280.00**
FBI214CW	14W	1950	139	5★	67 x 145	40	**280.00**
FBI218DL**	18W	2340	130	5★	67 x 147	40	**310.00**
FBI220DL**	20W	2600	130	5★	67 x 147	50	**330.00**

Non-Dimmable
**170-240V Operating Voltage

3-COLOR

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **230°** BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF508TC*	8W	806	101	OOS[3]	60 x 120	40	**210.00**

Non-Dimmable

25,000H LIFE HOURS | **150-240V** OPERATING VOLTAGE | **200°** BEAM ANGLE

SCENE SWITCH

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF509SS	9W	905	100	OOS[3]	60 x 110	40	**150.00**
	3W	380	127				
	1W	105	105				

Non-Dimmable

3 Step Dimming

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **230°** BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF309DL*	9W	806	90	OOS[3]	60 x 110	40	**220.00**
	4W						
	1W						
FBF311WW*	11W	1030	94	OOS[3]	60 x 110	40	**470.00**
	5W						
	2W						
FBF312WW* **	12W	820	68	OOS[3]	60 x 123	40	**470.00**
	7W	620	97				
	3W	250	83				

**220-240V Operating Voltage

FUNCTIONAL LED BULBS

25,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **200°** BEAM ANGLE

MOTION SENSOR

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF206DL*	6W	610	102	2★	60 x 120	50	**450.00**
FBF206WW*	6W	600	100	2★	60 x 120	50	**450.00**

Non-Dimmable
PIR Motion Sensor

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **240°** BEAM ANGLE

MOTION SENSOR

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF210DL*	10W	800	80	1★	60 x 120	40	**680.00**
FBF210WW*	10W	800	80	1★	60 x 120	40	**680.00**

Non-Dimmable
Microwave Motion Sensor

FUNCTIONAL LED BULBS

25,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **230°** BEAM ANGLE

DUSK to DAWN

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF105DL*	5W	490	98	2★	60 x 110	40	**220.00**
FBF105WW*	5W	470	94	2★	60 x 110	40	**220.00**

Non-Dimmable

25,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **240°** BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF110WW*	10W	800	80	COE[2]	60 x 120	40	**350.00**

Non-Dimmable

25,000H LIFE HOURS | **100-277V** OPERATING VOLTAGE | **230°** BEAM ANGLE

Flame lamp

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF0101R	1W			COE[2]	62 x 137	50	**450.00**

Non-Dimmable

25,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **240°** BEAM ANGLE

Stepless Dimming

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF409WW*	9W	850	94	OOS[3]	60 x 120	40	**420.00**

Dimmable. To be used with standard switch only. Not to be used with any dimming devices.

25,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **180°** BEAM ANGLE

Bluetooth SPEAKER 2-COLOR BULB

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF606DC	6W	470	78	OOS[3]	66 x 125	50	**1,200.00**

Non-Dimmable

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **180°** BEAM ANGLE

Bluetooth SPEAKER

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBF606DL	6W	470	78	COE[2]	66 x 125	40	**850.00**
FBF606WW*	6W	470	78	COE[2]	66 x 125	40	**850.00**

Non-Dimmable

LED NON A-BULBS

30,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **180°** BEAM ANGLE

Pin Light

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBT108DL*	8W	750	94	2★	34 x 140	100	**255.00**
FBT108WW*	8W	700	88	1★	34 x 140	100	**255.00**
FBT110DL*	10W	1050	105	3★	34 x 140	100	**315.00**
FBT110WW*	10W	1000	100	2★	34 x 140	100	**315.00**

Non-Dimmable
To be used with horizontal downlights only.

25,000H LIFE HOURS | **180-264V** OPERATING VOLTAGE | **170°** BEAM ANGLE

Globe

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBG112WW*	12W	900	75	COE[2]	95 x 127	50	**270.00**
FBG114WW*	14W	1200	86	COE[2]	95 x 132	50	**340.00**
FBG116WW*	16W	1400	88	COE[2]	100 x 130	20	**420.00**

Non-Dimmable

Colored PAR38


25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **60°** BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FBP914B*	B 14W	-	-	OOS[3]	121 x 136	20	**410.00**
FBP914Y*	Y 14W	-	-	OOS[3]	121 x 136	20	**410.00**
FBP914R*	R 14W	-	-	OOS[3]	121 x 136	20	**410.00**
FBP914G*	G 14W	-	-	OOS[3]	121 x 136	20	**410.00**

Non-Dimmable
IP65 Rating

*Phased out (PHO) / Until supplies last (USL) items

[1]Philippine Energy Labeling Program, [2]PELP Certificate of Exemption, [3]Out of Scope, Not included in the PELP




COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80




LINEAR LIGHTS

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
New! Linear Light				**50,000H** LIFE HOURS	**220-240V** OPERATING VOLTAGE	**110°** BEAM ANGLE	**CRI ≥85** COLOR RENDERING INDEX
FLL11CW18	● 18W	2300	128	-	58 x 600 x 49	6	**2,500.00**
FLL11CW36	● 36W	4066	113	-	58 x 1200 x 49	6	**3,500.00**

Non-Dimmable
Maximum connection: up to 10pcs. in series

LED TUBES



T8 Tube with LED Starter				**50,000H** LIFE HOURS	**170-240V** OPERATING VOLTAGE	**330°** BEAM ANGLE	**G13** LAMP BASE
LFS04T8DL08	● 8W	1200	150	5★	28 x 604	25	**150.00**
LFS04T8WW08	● 8W	1200	150	5★	28 x 604	25	**150.00**
LFS04T8DL16	● 16W	2400	150	5★	28 x 1214	25	**250.00**
LFS04T8WW16	● 16W	2400	150	5★	28 x 1214	25	**250.00**

Non-Dimmable

T8 Tube with LED Starter				**50,000H** LIFE HOURS	**170-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE	**G13** LAMP BASE
FFS02T8DL11	● 11W	1760	160	5★	28 x 1205.3	25	**200.00**

T8 Tube with LED Starter				**30,000H** LIFE HOURS	**100-277V** OPERATING VOLTAGE	**200°** BEAM ANGLE	**G13** LAMP BASE
LFS03T8DL09*	● 9W	1100	122	4★	25.4 x 600	40	**350.00**
LFS03T8WW09*	● 9W	850	94	COE[2]	25.4 x 600	40	**350.00**
LFS03T8CW09*	● 9W	850	94	COE[2]	25.4 x 600	40	**350.00**
LFS03T8DL18*	● 18W	2200	122	4★	25.4 x 1200	20	**500.00**
LFS03T8WW18*	● 18W	1750	97	COE[2]	25.4 x 1200	20	**500.00**
LFS03T8CW18*	● 18W	1750	97	COE[2]	25.4 x 1200	20	**500.00**

Non-Dimmable

T8 Tube with LED Starter				**50,000H** LIFE HOURS	**198-277V** OPERATING VOLTAGE	**200°** BEAM ANGLE	**G13** LAMP BASE
F2LST8DL09*	● 9W	1125	125	4★	28 x 595.7	40	**475.00**
F2LST8DL18*	● 18W	2250	125	4★	28 x 1205.3	20	**700.00**

Non-Dimmable

T8 Tube with LED Starter				**50,000H** LIFE HOURS	**100-277V** OPERATING VOLTAGE	**180°** BEAM ANGLE	**G13** LAMP BASE
FFS02T8DL12*	● 12W	1800	150	5★	28 x 1205.3	20	**930.00**
FFS02T8CW12*	● 12W	1800	150	5★	28 x 1205.3	20	**930.00**

Non-Dimmable

*Phased out (PHO) / Until supplies last (USL) items

[1]Philippine Energy Labeling Program, [2]PELP Certificate of Exemption


FIREFLY® PRO Series

LED CANOPY LIGHTS



- Bright & wide coverage
- Enhanced safety & visibility
- Weatherproof & durable
- Minimal maintenance & maximum performance


COLOR TEMPERATURES	COLOR RENDERING INDEX	IP RATING
• Daylight (DL) 6500K	CRI ≥80	IP65



LED CANOPY LIGHTS

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Canopy Light			**50,000H** LIFE HOURS	**140-270V** OPERATING VOLTAGE	**90°** BEAM ANGLE	
FCL1150DL	• 150W	21750	145	114 x 410	1	**10,500.00**





LED INDUSTRIAL LIGHTS


Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
High Power LED Lamp			**30,000H** LIFE HOURS		**220V** OPERATING VOLTAGE	**120°** BEAM ANGLE	
FHC1040DL*	• 40W	3420	86	E27	145 x 220	6	**1,020.00**
FHC1060DL*	• 60W	5130	86	E27	170 x 230	6	**1,495.00**
FHC1100DL*	• 100W	9000	90	E40	190 x 275	4	**2,670.00**



Accessory: Reflector for FHC1040DL
FHC1040-R*
SRP: 215.00


Reflector for FHC1060DL
FHC1060-R*
SRP: 340.00





UFO High Bay			**30,000H** LIFE HOURS		**110-240V** OPERATING VOLTAGE	**90°** BEAM ANGLE	
FHB88080DL	• 80W	7200	90	E40	Ø280 x 205	6	**1,965.00**
FHB88100DL	• 100W	10300	103	E40	Ø280 x 205	6	**2,270.00**
FHB88120DL	• 120W	12600	105	E40	Ø345 x 215	2	**3,600.00**
FHB88150DL	• 150W	15000	100	E40	Ø345 x 215	2	**3,850.00**





High Bay with Motion Sensor			**50,000H** LIFE HOURS		**100-277V** OPERATING VOLTAGE	**110°** BEAM ANGLE	
FHB85100DL	• 100W	12500	125	N/A	Ø270 x 160	1	**6,250.00**
FHB85150DL	• 150W	18750	125	N/A	Ø310 x 160	1	**7,450.00**


Special orders only ; not in-stock.
Motion Sensor Type: Microwave Sensor



Remote Control (for LED High Bay with Motion Sensor)
FHB85RC**
SRP: 950.00

***Special orders only; Not in-stock.*





High Bay			**50,000H** LIFE HOURS		**120-240V** OPERATING VOLTAGE	**110°** BEAM ANGLE	
FHB5100DL	• 100W	14000	140	N/A	Ø 240 x 150	1	**5,000.00**
FHB5150DL	• 150W	20250	135	N/A	Ø 280 x 150	1	**6,600.00**
FHB5200DL	• 200W	27000	135	N/A	Ø 320 x 150	1	**7,300.00**



Accessory: Reflector for FHB5100DL
FHB5100-R
SRP: 990.00

Accessory: Reflector for FHB5150DL
FHB5150-R
SRP: 1190.00






High Bay			**50,000H** LIFE HOURS		**90-305V** OPERATING VOLTAGE	**90°** BEAM ANGLE	**90** HIGH CRI
FHB4130DL*	• 130W	13000	100	N/A	279 x 187	1	**12,775.00**

**Phased out (PHO) / Until supplies last (USL) items*

LED OUTDOOR LIGHTING

COLOR TEMPERATURES	IP RATING
• Daylight (DL) 6500K	IP65




SOLAR LED FLOODLIGHTS

Item Code & Description		Lumens (Lm)	Solar Panel Monocrystalline	Battery Type LiFePO4	Dimensions (a x b x c mm)	Solar Panel Size (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
SOLAR Floodlight		MONOCRYSTALLINE SOLAR PANEL			50,000H LIFE HOURS	12 Hrs. WORKING TIME		5-6 Hrs. CHARGING TIME
FFL51030DL	•	3000	6V 40W	154WH	350 x 285 x 90	670 x 350 x 25	30	**6,800.00**
FFL51050DL	•	5000	6V 60W	192WH	400 x 315 x 90	670 x 535 x 25	50	**9,700.00**

COLOR TEMPERATURES	COLOR RENDERING INDEX	BEAM ANGLE	IP RATING
• Daylight (DL) 6500K • Warm White (WW) 3000K	CRI ≥80	110°	IP65

LED FLOODLIGHTS



Item Code & Description		Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Omega Floodlight		30,000H LIFE HOURS		220-240V OPERATING VOLTAGE			
FFL3010DL* **	•	10W	1200	120	118 x 110 x 31	10	**620.00**
FFL3020DL* **	•	20W	2400	120	134 x 117 x 33	10	**750.00**
FFL3030DL* **	•	30W	3600	120	149 x 134 x 34	10	**1,200.00**
FFL3050DL* **	•	50W	6000	120	186 x 174 x 44	10	**1,700.00**
FFL3100DL*	•	100W	11000	110	248 x 229 x 48	5	**4,300.00**
FFL3150DL* ***	•	150W	17250	115	351 x 302 x 60	2	**6,800.00**
FFL3200DL* ***	•	200W	22000	110	408 x 352 x 60	2	**8,500.00**

**DOB (Driver on Board) is around 35% lighter than a traditional floodlight
***110-240V
Non-Dimmable



New! Floodlight Gen 4		30,000H LIFE HOURS		100-264V OPERATING VOLTAGE			
FFL4010DL	•	10W	1250	125	131.7 x 131 x 29	20	**650.00**
FFL4020DL	•	20W	2500	125	156.7 x 142 x 29	20	**810.00**
FFL4030DL	•	30W	3750	125	181.7 x 157 x 34	12	**1,050.00**
FFL4050DL	•	50W	6500	130	223.5 x 184.5 x 36	12	**1,380.00**
FFL4100DL	•	100W	12500	125	308.5 x 239.5 x 41	4	**2,750.00**
FFL4200DL**	•	200W	25000	125	409.3 x 316.1 x 51	1	**6,400.00**

**100-240V Operating Voltage



Floodlight Gen 2		30,000H LIFE HOURS		90-265V OPERATING VOLTAGE			
FFL2010DL/W	•	10W	1100	110	136 x 122 x 36	20	**825.00**
FFL2010DL	•	10W	1100	110	136 x 122 x 36	20	**825.00**
FFL2010WW	•	10W	1000	100	136 x 122 x 36	20	**825.00**
FFL2020DL	•	20W	2100	105	136 x 122 x 36	20	**990.00**
FFL2020WW	•	20W	2000	100	136 x 122 x 36	20	**990.00**
FFL2030DL/W	•	30W	3150	105	180 x 155 x 47	12	**1,980.00**
FFL2030DL	•	30W	3150	105	180 x 155 x 47	12	**1,980.00**
FFL2030WW	•	30W	3000	100	180 x 155 x 47	12	**1,980.00**
FFL2050DL/W	•	50W	5500	110	230 x 207 x 43	12	**2,475.00**
FFL2050DL	•	50W	5500	110	230 x 207 x 43	12	**2,475.00**
FFL2050WW	•	50W	5500	110	230 x 207 x 43	12	**2,475.00**
FFL2100DL	•	100W	11500	115	264 x 252 x 55	4	**5,445.00**
FFL2200DL	•	200W	23000	115	391 x 358 x 62	1	**10,120.00**

Non-Dimmable




Floodlight		30,000H LIFE HOURS		90-265V OPERATING VOLTAGE			
FFL1010DL/G*	•	10W	950	95	95 x 140	20	**700.00**
FFL1010WW/G*	•	10W	850	85	95 x 140	20	**700.00**
FFL1020WW/G*	•	20W	1700	85	95 x 140	20	**900.00**
FFL1030DL/G*	•	30W	2850	95	165 x 243	12	**1,800.00**
FFL1030WW/G*	•	30W	2550	85	165 x 243	12	**1,800.00**
FFL1050DL/G*	•	50W	4750	95	165 x 243	12	**2,250.00**
FFL1050WW/G*	•	50W	4250	85	165 x 243	12	**2,250.00**
FFL1070DL/G*	•	70W	6650	95	195 x 286	4	**4,400.00**
FFL1070WW/G*	•	70W	5950	85	195 x 286	4	**4,400.00**
FFL1100DL/G*	•	100W	9500	95	195 x 286	4	**4,950.00**
FFL1200DL/G*	•	200W	19000	95	330 x 420	1	**10,000.00**

Non-Dimmable

*Phased out (PHO) / Until supplies last (USL) items



COLOR TEMPERATURES	SOLAR PANEL	IP RATING
• Daylight (DL) 6500K	MONOCRYSTALLINE	IP66







Item Code & Description		Lumens (Lm)	Solar Panel Monocrystalline	Battery Type LiFePO4	Dimensions (a x b x c mm)	Mounting Hole (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
SOLAR LED STREETLIGHTS								
SOLAR Streetlight				**50,000H** LIFE HOURS	**12 Hrs.** WORKING TIME	**4-5 Hrs.** CHARGING TIME		
FSL51060DL	•	9500	18V 65W	372WH	1000 x 360 x 125	60	1	**19,320.00**
FSL51120DL	•	19000	36V 120W	864WH	1310 x 530 x 270	68	1	**30,340.00**
FSL51150DL	•	23000	36V 150W	1200WH	1640 x 530 x 330	68	1	**38,990.00**
PRO2 SOLAR Streetlight								
FSL52030DL**	•	3300	6V 60W	144WH	887 x 400 x 85	76	1	**22,000.00**
FSL52060DL**	•	9600	6V 80W	288WH	1160 x 400 x 85	76	1	**28,000.00**
FSL52090DL**	•	12000	6V 100W	384WH	1435 x 400 x 85	76	1	**35,000.00**

**Special orders only; not in-stock

COLOR TEMPERATURES	COLOR RENDERING INDEX	IP RATING
• Daylight (DL) 6500K	CRI ≥80	IP65





Item Code & Description		Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Mounting Hole (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
LED STREETLIGHTS								
Mini Streetlight with Rotatable Photocell				**50,000H** LIFE HOURS	**100-277V** OPERATING VOLTAGE	**150 x 95°** BEAM ANGLE		
FSL1030DL/S	•	30W	3600	120	335 x 180 x 180	60	6	**4,600.00**
FSL1050DL/S	•	50W	5000	100	335 x 180 x 180	60	6	**5,200.00**
Mini Streetlight								
FSL1030DL	•	30W	3600	120	335 x 180 x 78	60	6	**3,200.00**
FSL1050DL	•	50W	5000	100	335 x 180 x 78	60	6	**3,800.00**
Streetlight				**50,000H** LIFE HOURS	**90-305V** OPERATING VOLTAGE	**145°** BEAM ANGLE		
FSL2060DL	•	60W	7800	130	520 x 212 x 90	60	1	**7,500.00**
FSL2080DL	•	80W	10400	130	616 x 259 x 186	60	1	**9,000.00**
FSL2100DL	•	100W	13000	130	616 x 259 x 186	60	1	**10,500.00**
FSL2120DL**	•	120W	15600	130	677 x 303 x 186	60	1	**11,500.00**
FSL2150DL**	•	150W	19500	130	677 x 303 x 186	63	1	**12,500.00**
FSL2200DL**	•	200W	26000	130	850 x 366 x 198	60	1	**17,500.00**

**Special orders only ; not in-stock.

Phased out (PHO) / Until supplies last (USL) items

LED DOWNLIGHTS

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K


COLOR RENDERING INDEX

CRI ≥80

SLIM LED DOWNLIGHTS

Recessed Slim (Round)

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **110°** BEAM ANGLE | ULTRA-THIN (For low ceiling clearance installation)




Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL212603DL	3W	180	60	Ø 90 x 19	Ø 75	40	**160.00**
EDL212603WW	3W	180	60	Ø 90 x 19	Ø 75	40	**160.00**
EDL212603CW	3W	185	62	Ø 90 x 19	Ø 70	20	**160.00**
EDL212606DL	6W	400	67	Ø 120 x 19	Ø 100	20	**215.00**
EDL212606WW	6W	320	53	Ø 120 x 19	Ø 100	20	**215.00**
EDL212606CW	6W	390	65	Ø 120 x 19	Ø 100	20	**215.00**
EDL212609DL	9W	720	80	Ø 150 x 19	Ø 130	20	**250.00**
EDL212609WW	9W	540	60	Ø 150 x 19	Ø 130	20	**250.00**
EDL212609CW	9W	585	65	Ø 150 x 19	Ø 130	20	**250.00**
EDL212612DL	12W	870	73	Ø 170 x 20	Ø 150	20	**310.00**
EDL212612WW	12W	720	60	Ø 170 x 20	Ø 150	20	**310.00**
EDL212612CW	12W	840	70	Ø 170 x 20	Ø 150	20	**310.00**
EDL212615DL	15W	1275	85	Ø 190 x 20	Ø 175	20	**360.00**
EDL212615WW	15W	1150	77	Ø 190 x 20	Ø 175	20	**360.00**
EDL212615CW	15W	1275	85	Ø 190 x 20	Ø 175	20	**360.00**
EDL212618DL	18W	1300	72	Ø 225 x 22	Ø 200	20	**400.00**

Material: Aluminum

Recessed Slim

20,000H LIFE HOURS | **110-240V** OPERATING VOLTAGE | **120°** BEAM ANGLE | ULTRA-THIN (For low ceiling clearance installation)




Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL2224DL*	24W	1700	71	Ø 297 x 20	Ø 285	20	**850.00**

Material: Aluminum

Recessed Slim (Square)

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **110°** BEAM ANGLE | ULTRA-THIN (For low ceiling clearance installation)




Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL112603DL	3W	180	60	85 x 85 x 22	75 x 75	40	**160.00**
EDL112603WW	3W	180	60	85 x 85 x 22	75 x 75	40	**160.00**
EDL112603CW	3W	185	62	85 x 85 x 22	75 x 75	20	**160.00**
EDL112606DL	6W	400	67	120 x 120 x 22	100 x 100	20	**215.00**
EDL112606WW	6W	390	65	120 x 120 x 22	100 x 100	20	**215.00**
EDL112606CW	6W	420	70	120 x 120 x 22	100 x 100	20	**215.00**
EDL112609DL	9W	700	78	147 x 147 x 22	130 x 130	20	**250.00**
EDL112609WW	9W	680	76	147 x 147 x 22	130 x 130	20	**250.00**
EDL112609CW	9W	740	82	147 x 147 x 22	130 x 130	20	**250.00**
EDL112612DL	12W	870	73	170 x 170 x 22	150 x 150	20	**310.00**
EDL112612WW	12W	850	71	170 x 170 x 22	150 x 150	20	**310.00**
EDL112612CW	12W	900	75	170 x 170 x 22	150 x 150	20	**310.00**
EDL112615DL	15W	1275	85	190 x 190 x 22	175 x 175	20	**360.00**
EDL112615WW	15W	1200	80	190 x 190 x 22	175 x 175	20	**360.00**
EDL112615CW	15W	1275	85	190 x 190 x 22	175 x 175	20	**360.00**
EDL112618DL	18W	1440	80	225 x 225 x 22	200 x 200	20	**400.00**

Material: Aluminum

3-COLOR RECESSED SLIM (ROUND)


25,000H LIFE HOURS | **150-240V** OPERATING VOLTAGE | **120°** BEAM ANGLE



Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL212609TC*	9W	600 570 600	67 63 67	Ø 146 x 23	Ø 138	20	**450.00**
EDL212612TC*	12W	900 850 900	75 71 75	Ø 171 x 23	Ø 162	20	**540.00**

Material: Aluminum

3-COLOR RECESSED SLIM (SQUARE)



Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL112603TC*	3W	150 120 150	50 40 50	85 x 85 x 23	75 x 75	40	**270.00**
EDL112612TC*	12W	900 850 900	75 71 75	171 x 171 x 23	162 x 162	20	**540.00**

Material: Aluminum

*Phased out (PHO) / Until supplies last (USL) items

LED DOWNLIGHTS

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80

SLIM LED DOWNLIGHTS



New! 4pc. Value Pack Recessed Slim (Round) — 25,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 120° BEAM ANGLE | ULTRA-THIN (For low ceiling clearance installation)

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
V40EDL212603DL	3W	180	60	Ø 90 x 19	Ø 75	8 sets	**610.00**
V40EDL212603WW	3W	180	60	Ø 90 x 19	Ø 75	8 sets	**610.00**
V40EDL212606DL	6W	400	67	Ø 120 x 19	Ø 100	6 sets	**825.00**
V40EDL212606WW	6W	320	53	Ø 120 x 19	Ø 100	6 sets	**825.00**
V40EDL212609DL	9W	720	80	Ø 150 x 19	Ø 130	6 sets	**960.00**
V40EDL212609WW	9W	540	60	Ø 150 x 19	Ø 130	6 sets	**960.00**
V40EDL212612DL	12W	870	73	Ø 170 x 20	Ø 150	6 sets	**1,160.00**
V40EDL212612WW	12W	720	60	Ø 150 x 20	Ø 150	6 sets	**1,160.00**

Material: Aluminum



New! 4pc. Value Pack Recessed Slim (Square)

V40EDL112603DL	3W	180	60	85 x 85 x 22	75 x 75	8 sets	**610.00**
V40EDL112603WW	3W	180	60	85 x 85 x 22	75 x 75	8 sets	**610.00**
V40EDL112606DL	6W	400	67	120 x 120 x 22	100 x 100	6 sets	**825.00**
V40EDL112606WW	6W	390	65	120 x 120 x 22	100 x 100	6 sets	**825.00**
V40EDL112609DL	9W	700	78	147 x 147 x 22	130 x 130	6 sets	**960.00**
V40EDL112609WW	9W	680	76	147 x 147 x 22	130 x 130	6 sets	**960.00**
V40EDL112612DL	12W	870	73	170 x 170 x 22	150 x 150	6 sets	**1,160.00**
V40EDL112612WW	12W	850	71	170 x 170 x 22	150 x 150	6 sets	**1,160.00**

Material: Aluminum



Backlit Slim — 25,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 100° BEAM ANGLE

EDL218006DL	6W	450	75	31.5 x Ø 120	Ø 110	20	**235.00**
EDL218006WW	6W	420	70	31.5 x Ø 120	Ø 110	20	**235.00**
EDL218009DL	9W	765	85	31.5 x Ø 120	Ø 110	20	**275.00**
EDL218012DL	12W	900	75	31.5 x Ø 170	Ø 158	20	**345.00**
EDL218012WW	12W	850	71	31.5 x Ø 170	Ø 158	20	**345.00**
EDL218015DL	15W	1320	88	31.5 x Ø 170	Ø 158	20	**395.00**
EDL218018DL	18W	1530	85	31.5 x Ø 225	Ø 210	20	**445.00**
EDL218018WW	18W	1450	81	31.5 x Ø 225	Ø 210	20	**445.00**

Material: Plastic



New! 3-COLOR BACKLIT SLIM — 20,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 110° BEAM ANGLE

EDL218006TC	6W	510 470 510	85 78 85	44 x Ø 120	Ø 110	20	**270.00**
EDL218012TC	12W	1030 1000 1080	86 83 90	44 x Ø 170	Ø 158	20	**380.00**
EDL218018TC	18W	1710 1650 1710	95 92 95	44 x Ø 225	Ø 210	20	**540.00**

Material: Plastic



New! DUAL-LIT SLIM (ROUND) — 20,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 120° BEAM ANGLE

EDL219006DL	6W	170 160	28 27	Ø 105 x 35	Ø 70	40	**295.00**
EDL219009DL	9W	400 170	44 19	Ø 145 x 30	Ø 105	30	**380.00**
EDL219012DL	12W	680 180	57 15	Ø 145 x 30	Ø 105	30	**410.00**

Material: Aluminum



New! DUAL-LIT SLIM (SQUARE)

EDL119006DL	6W	150 150	25 25	105 x 30	70 x 70	40	**320.00**
EDL119009DL	9W	380 170	42 19	145 x 30	105 x 105	30	**430.00**
EDL119012DL	12W	580 170	48 14	145 x 30	105 x 105	30	**450.00**

Material: Aluminum


LED DOWNLIGHTS


FIREFLY BASIC Series

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX
CRI ≥80


SLIM LED DOWNLIGHTS




















Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Surface Slim (Round)			**25,000H** LIFE HOURS	**100-240V** OPERATING VOLTAGE	**110°** BEAM ANGLE		
EDL213606DL	6W	400	67	Ø 115 x 32	-	20	**270.00**
EDL213606WW	6W	390	65	Ø 115 x 32	-	20	**270.00**
EDL213612DL	12W	870	73	Ø 165 x 32	-	10	**400.00**
EDL213612WW	12W	850	71	Ø 165 x 32	-	10	**400.00**
EDL213618DL	18W	1440	80	Ø 215 x 32	-	10	**500.00**
EDL213618WW	18W	1420	79	Ø 215 x 32	-	10	**500.00**
Material: Aluminum					• No need for cut-out		
Surface Slim (Square)							
EDL113606DL	6W	400	67	115 x 115 x 35	-	20	**270.00**
EDL113606WW	6W	390	65	115 x 115 x 35	-	20	**270.00**
EDL113612DL	12W	870	73	165 x 165 x 32	-	10	**400.00**
EDL113612WW	12W	850	71	165 x 165 x 32	-	10	**400.00**
EDL113618DL	18W	1440	80	215 x 215 x 32	-	10	**500.00**
EDL113618WW	18W	1420	79	215 x 215 x 32	-	10	**500.00**
Material: Aluminum					• No need for cut-out		
New! 4 pc. Value Pack Surface Slim (Round)							
V40EDL213606DL	6W	400	67	Ø 115 x 32	-	6 sets	**1,000.00**
V40EDL213606WW	6W	390	65	Ø 115 x 32	-	6 sets	**1,000.00**
V40EDL213612DL	12W	870	73	Ø 165 x 32	-	6 sets	**1,400.00**
V40EDL213612WW	12W	850	71	Ø 165 x 32	-	6 sets	**1,400.00**
Material: Aluminum					• No need for cut-out		
New! 4 pc. Value Pack Surface Slim (Square)							
V40EDL113606DL	6W	400	67	115 x 115 x 35	-	6 sets	**1,000.00**
V40EDL113606WW	6W	390	65	115 x 115 x 35	-	6 sets	**1,000.00**
V40EDL113612DL	12W	870	73	165 x 165 x 32	-	6 sets	**1,400.00**
V40EDL113612WW	12W	850	71	165 x 165 x 32	-	6 sets	**1,400.00**
Material: Aluminum					• No need for cut-out		
New! Surface (Round)			**20,000H** LIFE HOURS	**100-240V** OPERATING VOLTAGE	**110°** BEAM ANGLE		
EDL223712DL	12W	1200	100	Ø 172 x 32	-	30	**290.00**
EDL223712WW	12W	1080	90	Ø 172 x 32	-	30	**290.00**
EDL223718DL	18W	1800	100	Ø 223 x 35	-	20	**400.00**
EDL223718WW	18W	1620	90	Ø 223 x 35	-	20	**400.00**
EDL223724DL	24W	2400	100	Ø 300 x 35	-	10	**600.00**
DOB Plastic					• No need for cut-out		
New! Surface (Square)							
EDL123712DL	12W	1200	100	172 x 172 x 32	-	30	**290.00**
EDL123712WW	12W	1080	90	172 x 172 x 32	-	30	**290.00**
EDL123718DL	18W	1800	100	223 x 223 x 35	-	20	**400.00**
EDL123718WW	18W	1620	90	223 x 223 x 35	-	20	**400.00**
EDL123724DL	24W	2400	100	300 x 300 x 35	-	10	**600.00**
DOB Plastic					• No need for cut-out		
New! 3-COLOR SURFACE (ROUND)							
EDL223712TC	12W	1200	100	Ø 172 x 32	-	30	**390.00**
EDL223718TC	18W	1800	100	Ø 223 x 35	-	20	**520.00**
EDL223724TC	24W	2400	100	Ø 300 x 35	-	10	**760.00**
DOB Plastic							
New! 3-COLOR SURFACE (SQUARE)							
EDL123712TC	12W	1200	100	172 x 172 x 32	-	30	**390.00**
EDL123718TC	18W	1800	100	223 x 223 x 35	-	20	**520.00**
EDL123724TC	24W	2400	100	300 x 300 x 35	-	10	**760.00**
DOB Plastic							


LED DOWNLIGHTS

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80



NON-SLIM LED DOWNLIGHTS

Integrated — 25,000H LIFE HOURS | 175-265V OPERATING VOLTAGE | 100° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL219403DL	3W	250	83	32.3 x Ø 90	Ø 80	40	**95.00**
EDL219405DL	5W	525	105	32.3 x Ø 90	Ø 80	40	**105.00**
EDL219407DL	7W	735	105	32 x Ø 109	Ø 95	40	**140.00**
EDL219409DL	9W	945	105	32 x Ø 129	Ø 115	20	**170.00**
EDL219412DL	12W	1260	105	32.5 x Ø 144	Ø 130	20	**185.00**
EDL219415DL	15W	1575	105	32.5 x Ø 169	Ø 155	20	**220.00**
EDL219418DL	18W	1800	100	32.5 x Ø 169	Ø 155	20	**240.00**
EDL219420DL	20W	2200	110	32.5 x Ø 194	Ø 180	20	**320.00**

Material: Plastic



Integrated — 25,000H LIFE HOURS | 150-240V OPERATING VOLTAGE | 90° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL222203DL	3W	315	105	50 x Ø 92	Ø 75	30	**110.00**
EDL222203WW	3W	276	92	50 x Ø 92	Ø 75	30	**110.00**
EDL222206DL	6W	630	105	50 x Ø 92	Ø 75	30	**140.00**
EDL222206WW	6W	552	92	50 x Ø 92	Ø 75	30	**140.00**
EDL222209DL	9W	945	105	50 x Ø 112	Ø 100	20	**180.00**
EDL222209WW	9W	828	92	50 x Ø 112	Ø 100	20	**180.00**
EDL222212DL	12W	1320	110	54 x Ø 166	Ø 150	20	**240.00**
EDL222212WW	12W	1140	95	54 x Ø 166	Ø 150	20	**240.00**
EDL222215DL	15W	1650	110	54 x Ø 166	Ø 150	20	**255.00**
EDL222215WW	15W	1425	95	54 x Ø 166	Ø 150	20	**255.00**

Material: Plastic



3-COLOR INTEGRATED — 20,000H LIFE HOURS | 110-240V OPERATING VOLTAGE | 90° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL222203TC	3W	305 275 300	102 92 100	50 x Ø 92	Ø 75	40	**145.00**
EDL222206TC	6W	575 470 570	96 78 95	50 x Ø 92	Ø 75	40	**180.00**
EDL222209TC	9W	950 840 945	106 93 105	50 x Ø 112	Ø 100	30	**230.00**

Material: Plastic



New! — 25,000H LIFE HOURS | 150-240V OPERATING VOLTAGE | 110° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EDL222212TC	12W	1260 1200 1296	105 100 108	54 X Ø 166	Ø 150	20	**300.00**
EDL222215TC	15W	1600 1500 1660	107 100 111	54 X Ø 166	Ø 150	20	**320.00**
EDL222218TC	18W	1980 1854 2070	110 103 115	58 X Ø 216	Ø 200	10	**435.00**

Material: Plastic



New! 4pc. Value Pack Integrated — 25,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 110° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
V40EDL222203DL	3W	315	105	50 x Ø 92	Ø 75	10 sets	**400.00**
V40EDL222203WW	3W	276	92	50 x Ø 92	Ø 75	10 sets	**400.00**
V40EDL222206DL	6W	630	105	50 x Ø 92	Ø 75	10 sets	**500.00**
V40EDL222206WW	6W	552	92	50 x Ø 92	Ø 75	10 sets	**500.00**
V40EDL222209DL	9W	945	105	50 x Ø 112	Ø 100	8 sets	**650.00**
V40EDL222209WW	9W	828	92	50 x Ø 112	Ø 100	8 sets	**650.00**
V40EDL222212WW	12W	1140	95	54 x Ø 166	Ø 150	6 sets	**850.00**

Material: Plastic



New! 3-COLOR INTEGRATED 4pc. Value Pack — 25,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 90° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
V40EDL222203TC	3W	305 275 300	105 92 100	50 x Ø 92	Ø 75	10 sets	**520.00**
V40EDL222206TC	6W	575 470 570	96 78 95	50 x Ø 92	Ø 75	10 sets	**650.00**
V40EDL222209TC	9W	950 840 945	105 93 105	50 x Ø 112	Ø 100	8 sets	**820.00**

Material: Plastic

LED DOWNLIGHTS

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80

NON-SLIM LED DOWNLIGHTS



New! Integrated Slim

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
			25,000H LIFE HOURS	175-265V OPERATING VOLTAGE	110° BEAM ANGLE		
EDL212806DL	6W	600	100	32 x Ø 120	Ø 91	60	**170.00**
EDL212806WW	6W	540	90	32 x Ø 120	Ø 91	60	**170.00**
EDL212809DL	9W	900	100	32 x Ø 147	Ø 121	40	**210.00**
EDL212809WW	9W	810	90	32 x Ø 147	Ø 121	40	**210.00**
EDL212812DL	12W	1200	100	32 x Ø 170	Ø 142	40	**260.00**
EDL212812WW	12W	1080	90	32 x Ø 170	Ø 142	40	**260.00**
EDL212818DL	18W	1800	100	32 x Ø 220	Ø 195	20	**420.00**


Material: Plastic



New! 3-COLOR INTEGRATED SLIM

EDL212806TC	6W	540	90	32 x Ø 120	Ø 91	60	**210.00**
EDL212809TC	9W	810	90	32 x Ø 147	Ø 121	40	**260.00**
EDL212812TC	12W	1080	90	32 x Ø 170	Ø 142	40	**320.00**
EDL212818TC	18W	1620	90	32 x Ø 220	Ø 195	20	**500.00**


Material: Plastic



Frameless (Round)

			25,000H LIFE HOURS	170-240V OPERATING VOLTAGE	100° BEAM ANGLE		
EDL229106DL**	6W	720	120	42 x Ø 115	Ø 90	20	**270.00**
EDL229106WW**	6W	690	115	42 x Ø 115	Ø 90	20	**270.00**
EDL229109DL	9W	1035	115	42 x Ø 115	Ø 90	20	**345.00**
EDL229109WW	9W	990	110	42 x Ø 115	Ø 90	20	**345.00**
EDL229112DL	12W	1560	130	42 x Ø 135	Ø 110	20	**380.00**
EDL229112WW	12W	1440	120	42 x Ø 135	Ø 110	20	**380.00**

Material: Plastic



Frameless (Square)

EDL129106DL**	6W	720	120	42 x 115	90 x 90	20	**270.00**
EDL129106WW**	6W	690	115	42 x 115	90 x 90	20	**270.00**
EDL129109DL	9W	1035	115	42 x 115	90 x 90	20	**345.00**
EDL129109WW	9W	990	110	42 x 115	90 x 90	20	**345.00**
EDL129112DL	12W	1560	130	42 x 115	110 x 110	20	**380.00**
EDL129112WW	12W	1440	120	42 x 115	110 x 110	20	**380.00**

**150-240V


Material: Plastic



New! Low Glare LOW GLARE for Eye Protection

			25,000H LIFE HOURS	220-240V OPERATING VOLTAGE	80° BEAM ANGLE		
EDL214606DL	6W	630	105	50 x Ø 87	Ø 66	50	**260.00**
EDL214606WW	6W	630	105	50 x Ø 87	Ø 66	50	**260.00**
EDL214612DL	12W	1080	90	50 x Ø 120	Ø 96	40	**320.00**
EDL214620DL	20W	1800	90	70 x Ø 172	Ø 140	24	**460.00**

DOB Aluminum



New! Low Glare LOW GLARE for Eye Protection

			25,000H LIFE HOURS	220-240V OPERATING VOLTAGE	36° BEAM ANGLE	UGR <19 UNIFIED GLARE RATING	
EDL212707DL	7W	784	112	76 x Ø 120	Ø 105	36	**175.00**
EDL212707WW	7W	760	109	76 x Ø 120	Ø 105	36	**175.00**
EDL212712DL	12W	1575	131	88 x Ø 160	Ø 145	24	**265.00**
EDL212712WW	12W	1300	108	88 x Ø 160	Ø 145	24	**265.00**

DOB Plastic



Integrated

			15,000H LIFE HOURS	170-240V OPERATING VOLTAGE	100° BEAM ANGLE		
EDL223203DL*	3W	210	70	50 x Ø 92	Ø 70 - 80	60	**130.00**
EDL223203WW*	3W	195	65	50 x Ø 92	Ø 70 - 80	60	**130.00**
EDL223205DL*	5W	500	100	50 x Ø 114	Ø 90 - 102	60	**160.00**
EDL223205WW*	5W	475	95	50 x Ø 114	Ø 90 - 102	60	**160.00**
EDL223207DL*	7W	700	100	50 x Ø 114	Ø 90 - 102	60	**220.00**
EDL223207WW*	7W	650	93	50 x Ø 114	Ø 90 - 102	60	**220.00**
EDL223209DL*	9W	900	100	50 x Ø 127	Ø 105 - 115	60	**255.00**
EDL223209WW*	9W	835	93	50 x Ø 127	Ø 105 -115	60	**255.00**
EDL223212DL*	12W	1200	100	55 x Ø 144	Ø 120 - 130	60	**290.00**
EDL223212WW*	12W	1100	92	55 x Ø 144	Ø 120 - 130	60	**290.00**

Material: Plastic



Integrated

			20,000H LIFE HOURS	100-240V OPERATING VOLTAGE	100° BEAM ANGLE		
EDL2508DL*	8W	800	100	69 x Ø 115	Ø 90 - 102	24	**375.00**
EDL2509DL*	9W	900	100	79 x Ø 145	Ø 120 - 130	24	**440.00**
EDL2512DL*	12W	1200	100	85 x Ø 197	Ø 145 - 155	12	**575.00**
EDL2519DL*	19W	1900	100	99 x Ø 245	Ø 195 - 210	12	**810.00**

Material: Plastic

*Phased out (PHO) / Until supplies last (USL) items

LED DOWNLIGHTS

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX
CRI ≥80

DIMENSIONS


Item Code & Description		Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Cut-out Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)

NON-SLIM LED DOWNLIGHTS



3 Step Dimming — 15,000H LIFE HOURS — 170-240V OPERATING VOLTAGE — 100° BEAM ANGLE

EDL228009DL*	9W 4W 1W	900 400 135	100	50 x Ø 127	Ø 88 - 110	40	**280.00**
EDL228012DL*	12W 5W 2W	1260 600 250	105	55 x Ø 144	Ø 131 - 140	30	**315.00**
EDL228015DL*	15W 6W 3W	1800 900 360	200	55 x Ø 169	Ø 141 - 165	30	**430.00**

Material: Plastic



Tiltable — UNI-DIRECTIONAL — 20,000H LIFE HOURS — 100-240V OPERATING VOLTAGE — SPOT 36° BEAM ANGLE

EDL2503DL	3W	300	100	56 x Ø 90	Ø 68	40	**160.00**
EDL2503WW	3W	230	70	56 x Ø 90	Ø 68	40	**160.00**
EDL2505DL	5W	500	100	56 x Ø 90	Ø 68	40	**170.00**
EDL2505WW	5W	420	84	56 x Ø 90	Ø 68	40	**170.00**



EDL1503DL	3W	300	100	56 x 90	68 x 68	40	**150.00**
EDL1503WW	3W	230	70	56 x 90	68 x 68	40	**150.00**
EDL1505DL	5W	500	100	56 x 90	68 x 68	40	**170.00**
EDL1505WW	5W	420	84	56 x 90	68 x 68	40	**170.00**

Material: Polycarbonate



3-COLOR TILTABLE DOWNLIGHT — UNI-DIRECTIONAL — 15,000H LIFE HOURS — 220-240V OPERATING VOLTAGE — SPOT 36° BEAM ANGLE

EDL2504TC	4W	400	100	40 x Ø 90	Ø 68	40	**200.00**



EDL1504TC	4W	400	100	40 x 90	68 x 68	40	**200.00**

Material: Polycarbonate



Tiltable — UNI-DIRECTIONAL — 20,000H LIFE HOURS — 100-240V OPERATING VOLTAGE — SPOT 38° BEAM ANGLE

EDL2608DL	8W	850	106	52 x Ø 110	Ø 90	30	**275.00**
EDL2608WW	8W	720	100	52 x Ø 110	Ø 90	30	**275.00**



EDL1608DL	8W	850	106	52 x 110	90 x 90	30	**275.00**
EDL1608WW	8W	800	100	52 x 110	90 x 90	30	**275.00**

Material: Polycarbonate



Tiltable — UNI-DIRECTIONAL — 20,000H LIFE HOURS — 100-240V OPERATING VOLTAGE — SPOT 36° BEAM ANGLE

EDL2403DL*	3W	240	80	56 x Ø 80	Ø 68	40	**225.00**
EDL2403WW*	3W	230	77	56 x Ø 80	Ø 68	40	**225.00**
EDL2406DL*	6W	435	72	56 x Ø 80	Ø 68	40	**240.00**
EDL2406WW*	6W	415	68	56 x Ø 80	Ø 68	40	**240.00**



EDL1403DL*	3W	240	80	56 x 80	68 x 68	40	**225.00**
EDL1403WW*	3W	230	77	56 x 80	68 x 68	40	**225.00**
EDL1406DL*	6W	435	72	56 x 80	68 x 68	40	**240.00**
EDL1406WW*	6W	415	68	56 x 80	68 x 68	40	**240.00**

Material: Aluminum
Built-in LED Driver

*Phased out (PHO) / Until supplies last (USL) items

LED CEILING LAMPS

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80

DECORATIVE LED CEILING LAMPS

New! 3-COLOR CEILING LAMP with Remote Control — **25,000H** LIFE HOURS | **185-265V** OPERATING VOLTAGE | **120°** BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Beatrice						
ECL1330TC	30W	1200 1150 2400	40 38 80	Ø 380 x 85	10	**1,200.00**
ECL1350TC	50W	1950 1800 3900	39 36 78	Ø 480 x 85	5	**1,600.00**

Dimmable. Dimming can be done through remote control.

New!

Amelia						
ECL1430TC	30W	1200 1150 2400	40 38 80	Ø380 x 70	10	**1,200.00**
ECL1450TC	50W	1950 1800 3900	39 36 78	Ø490 x 70	5	**1,600.00**

Dimmable. Dimming can be done through remote control.

New!

Cleo						
ECL1550TC	50W	2000 1900 4000	40 38 80	Ø500 x 75	5	**1,800.00**

Dimmable. Dimming can be done through remote control.

Daisy						
ECL1030TC	30W	1050 1050 2100	35 35 70	Ø390 x 80	10	**1,100.00**
ECL1050TC	50W	1750 1750 3500	35 35 70	Ø490 x 85	5	**1,400.00**

Dimmable. Dimming can be done through remote control.

Crystal						
ECL1130TC	30W	1050 1050 2100	35 35 70	Ø390 x 80	10	**1,200.00**
ECL1150TC	50W	1750 1750 3500	35 35 70	Ø490 x 85	5	**1,600.00**

Dimmable. Dimming can be done through remote control.

Shell						
ECL1230TC	30W	1125 1125 2250	38 38 75	Ø390 x 80	10	**1,200.00**
ECL1250TC	50W	1500 1500 3000	30 30 60	Ø490 x 85	5	**1,600.00**

Dimmable. Dimming can be done through remote control.

New! Lamp Replacement Module

ECL130TCR	30W	1650 1590 3300	55 53 110	203 x 238 x 23	60	**450.00**
ECL150TCR	50W	2875 2750 5500	58 55 110	262 x 298 x 23	40	**550.00**

Dimmable — ECL130TCR replacement lamp for ECL1330TC, ECL1430TC, ECL1030TC, ECL1130TC, and ECL1230TC.
ECL150TCR replacement lamp for ECL1350TC, ECL1450TC, ECL1550TC, ECL1050TC, ECL1150TC, and ECL1250TC.

LED CEILING LAMPS

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
DECORATIVE LED CEILING LAMPS						
		25,000H LIFE HOURS	**150-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE		
Classic						
ECL712DL	12W	1214	101	235 x 60	5	**430.00**
ECL718DL	18W	1951	108	285 x 60	5	**620.00**
ECL724DL	24W	2463	103	335 x 60	5	**700.00**
Classic ☆ STAR ☆						
ECL512DL	12W	1115	93	Ø 235 x 60	5	**430.00**
ECL518DL	18W	1738	97	Ø 285 x 60	5	**620.00**
ECL524DL	24W	2180	91	Ø 335 x 60	5	**700.00**
SHELL						
ECL612DL	12W	1206	106	Ø 225 x 70	5	**430.00**
ECL618DL	18W	2006	111	Ø 288 x 70	5	**620.00**
ECL624DL	24W	2473	103	Ø 320 x 70	5	**700.00**
Crystal ☆ STAR ☆						
ECL912DL	12W	1115	93	Ø 235 x 60	5	**430.00**
ECL918DL	18W	1766	98	Ø 285 x 60	5	**620.00**
ECL924DL	24W	2233	93	Ø 335 x 60	5	**700.00**
3-COLOR CEILING LAMP Crystal ☆ Star ☆		**25,000H** LIFE HOURS	**160-240V** OPERATING VOLTAGE	**120°** BEAM ANGLE		
ECL918TC	18W	1530 1350 1530	85 75 85	Ø 285 x 60	5	**750.00**
ECL924TC	24W	2258 1983 2314	94 83 96	Ø 335 x 60	5	**940.00**
Classic						
ECL118TC	18W	1530	85	Ø 285 x 60	5	**750.00**
ECL124TC	24W	1700 1600 1900	71 67 79	Ø 335 x 60	10	**940.00**
Pepper						
ECL218TC	18W	1530	85	Ø 285 x 60	5	**750.00**
ECL224TC	24W	1700 1600 1900	71 67 79	Ø 390 x 58	10	**940.00**
		15,000H LIFE HOURS	**165-250V** OPERATING VOLTAGE	**180°** BEAM ANGLE		
Classic						
ECL112DL*	12W	770	64	Ø 265 X Ø 230 X 53	10	**465.00**
ECL118DL*	18W	1200	67	Ø 340 X Ø 300 X 55	10	**670.00**
ECL124DL*	24W	1400	58	Ø 390 X Ø 350 X 58	10	**780.00**
Pepper						
ECL212DL*	12W	770	64	Ø 265 x Ø 230 x 53	10	**465.00**
ECL218DL*	18W	1200	67	Ø 340 x Ø 300 x 55	10	**670.00**
ECL224DL*	24W	1400	58	Ø 390 x Ø 350 x 58	10	**780.00**

*Phased out (PHO) / Until supplies last (USL) items

LED CEILING LAMPS

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80



Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)

DECORATIVE LED CEILING LAMPS

Crystal

15,000H LIFE HOURS | 165-250V OPERATING VOLTAGE | 180° BEAM ANGLE


ECL312DL*	12W	770	64	Ø 265 x Ø 230 x 53	10	**465.00**
ECL318DL*	18W	1200	67	Ø 340 x Ø 300 x 55	10	**670.00**
ECL324DL*	24W	1400	58	Ø 390 x Ø 350 x 58	10	**780.00**



Crystal

15,000H LIFE HOURS | 170-260V OPERATING VOLTAGE | 110° BEAM ANGLE

ECL318TC*	18W	1300 1200 1400	72 67 78	Ø 340 x 65	5	**750.00**



Classic


20,000H LIFE HOURS | 180-264V OPERATING VOLTAGE | 120° BEAM ANGLE

LCL108WW*	8W	560	70	Ø 215 x Ø 190 x 80	10	**530.00**
LCL115DL*	15W	1350	90	Ø 345 x Ø 300 x 105	8	**830.00**
LCL115WW*	15W	1200	80	Ø 345 x Ø 300 x 105	8	**830.00**
LCL120WW*	20W	1600	80	Ø 390 x Ø 350 x 105	6	**980.00**
LCL208DL*	8W	640	80	Ø 215 x Ø 190 x 70	10	**530.00**
LCL208WW*	8W	560	70	Ø 215 x Ø 190 x 70	10	**530.00**
LCL220WW*	20W	1600	80	Ø 385 x Ø 350 x 90	6	**980.00**

Note: All Decorative LED Ceiling Lamps are non-dimmable

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)

LED CEILING LAMPS



Foldable Ceiling Lamp

20,000H LIFE HOURS | 170-240V OPERATING VOLTAGE | 110° BEAM ANGLE | E27 LAMP BASE | 92 HIGH CRI

ECL1032DL	32W	3200	100	195 x 88 x Ø 380	40	**460.00**

Non-Dimmable



UFO Ceiling Lamp

15,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 120° BEAM ANGLE | E27 LAMP BASE

ECL415DL	15W	1800	120	Ø 125 x 75	60	**265.00**
ECL420DL	20W	2300	115	Ø 150 x 80	30	**370.00**

Non-Dimmable



3-COLOR CEILING LAMP UFO

15,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 110° BEAM ANGLE | E27 LAMP BASE

ECL415TC	15W	1500 1400 1500	100 93 100	Ø 125 x 65	20	**345.00**
ECL418TC	18W	1900 1700 1900	106 94 106	Ø 150 x 75	20	**465.00**

Non-Dimmable



LED Circular

15,000H LIFE HOURS | 165-260V OPERATING VOLTAGE | 180° BEAM ANGLE

ECL112R	12W	1200	100	Ø 139 x Ø 87 x 20	20	**200.00**
ECL118R	18W	1800	100	Ø 179 x Ø 127 x 20	20	**250.00**
ECL124R	24W	2400	100	Ø 224 x Ø 170 x 20	20	**305.00**

Non-Dimmable

ECL112R replacement lamp for ECL512DL, ECL612DL, ECL712DL, and ECL912DL (refer to page 17).
ECL118R replacement lamp for ECL518DL, ECL618DL, ECL718DL, and ECL918DL (refer to page 17).
ECL124R replacement lamp for ECL524DL, ECL624DL, ECL724DL, and ECL924DL (refer to page 17).

*Phased out (PHO) / Until supplies last (USL) items

LED BULBS

FIREFLY BASIC Series

COLOR TEMPERATURES: Daylight (DL) 6500K | Warm White (WW) 3000K | Cool White (CW) 4000K

LAMP BASE: E27

COLOR RENDERING INDEX: CRI ≥80

DIMENSIONS

LED A-BULBS

20,000H LIFE HOURS | 120-240V OPERATING VOLTAGE | 200° BEAM ANGLE

A-Bulb Singles

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBI103DL**	3W	405	135	5★	45 x 75	50	**65.00**
EBI103WW**	3W	390	130	5★	45 x 75	50	**65.00**
EBI103CW**	3W	405	135	5★	45 x 75	50	**65.00**
EBI105DL	5W	650	130	5★	60 x 110	50	**75.00**
EBI105WW	5W	620	124	5★	60 x 110	50	**75.00**
EBI105CW	5W	650	130	5★	60 x 110	50	**75.00**
EBI107DL	7W	910	130	5★	60 x 110	50	**90.00**
EBI107WW	7W	870	124	5★	60 x 110	50	**90.00**
EBI107CW	7W	910	130	5★	60 x 110	50	**90.00**
EBI109DL	9W	1170	130	5★	60 x 110	50	**95.00**
EBI109WW	9W	1115	124	5★	60 x 110	50	**95.00**
EBI109CW	9W	1170	130	5★	60 x 110	50	**95.00**
EBI111DL	11W	1430	130	5★	60 x 117	50	**115.00**
EBI111WW	11W	1375	125	5★	60 x 117	50	**115.00**
EBI113DL	13W	1615	124	5★	60 x 122	50	**140.00**
EBI115DL	15W	1875	125	5★	67 x 143	50	**155.00**
EBI118DL***	18W	2235	124	5★	67 x 143	50	**230.00**
EBI120DL***	20W	2500	125	5★	67 x 143	50	**240.00**

Non-Dimmable
**100-240V Operating Voltage
***150-240V Operating Voltage

20,000H LIFE HOURS | 110-240V OPERATING VOLTAGE | 230° BEAM ANGLE

A-Bulb Singles

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBI125DL**	25W	2800	112	3★	95 x 186	20	**300.00**
EBI130DL	30W	3630	121	4★	110 x 210	12	**365.00**
EBI135DL	35W	4235	121	4★	120 x 232	12	**430.00**

Non-Dimmable
**220-240V Operating Voltage

A-Bulb 3-Bulb Value Pack

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
V30EBI103DL	3W	405	135	5★	N/A	40 sets	**185.00**
V30EBI105DL	5W	650	130	5★	N/A	20 sets	**215.00**
V30EBI107DL	7W	910	130	5★	N/A	20 sets	**260.00**
V30EBI109DL	9W	1170	130	5★	N/A	20 sets	**275.00**
V30EBI111DL	11W	1430	130	5★	N/A	20 sets	**335.00**
V30EBI113DL	13W	1615	124	5★	N/A	20 sets	**410.00**
V30EBI115DL	15W	1875	125	5★	N/A	20 sets	**455.00**

Non-Dimmable

A-Bulb 4-Bulb Value Pack

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
V40EBI103DL	3W	405	135	5★	N/A	24 sets	**240.00**
V40EBI105DL	5W	650	130	5★	N/A	24 sets	**280.00**
V40EBI107DL	7W	910	130	5★	N/A	24 sets	**340.00**
V40EBI109DL	9W	1170	130	5★	N/A	24 sets	**360.00**
V40EBI111DL	11W	1430	130	5★	N/A	24 sets	**440.00**
V40EBI113DL	13W	1615	124	5★	N/A	24 sets	**540.00**
V40EBI115DL	15W	1875	125	5★	N/A	24 sets	**600.00**

Non-Dimmable

New! A-Bulb 6-Bulb Value Pack

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
V60EBI103DL	3W	405	135	5★	N/A	24 sets	**340.00**
V60EBI105DL	5W	650	130	5★	N/A	12 sets	**390.00**
V60EBI107DL	7W	910	130	5★	N/A	12 sets	**470.00**
V60EBI109DL	9W	1170	130	5★	N/A	12 sets	**490.00**
V60EBI111DL	11W	1430	130	5★	N/A	12 sets	**600.00**
V60EBI113DL	13W	1615	124	5★	N/A	12 sets	**730.00**
V60EBI115DL	15W	1875	125	5★	N/A	12 sets	**810.00**

Non-Dimmable

20,000H LIFE HOURS | 110-240V OPERATING VOLTAGE | 200° BEAM ANGLE | 90 HIGH CRI

EYECare

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBI504DL	4W	500	125	5★	60 x 113	50	**75.00**
EBI506DL	6W	750	125	5★	60 x 113	50	**85.00**
EBI508DL	8W	1000	125	5★	60 x 116	50	**100.00**
EBI510DL	10W	1250	125	5★	60 x 116	50	**115.00**
EBI512DL	12W	1500	125	5★	60 x 116	50	**130.00**
EBI514DL	14W	1750	125	5★	60 x 116	50	**155.00**
EBI516DL	16W	2000	125	5★	60 x 116	50	**175.00**

Non-Dimmable

LED A-BULBS

20,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 200° BEAM ANGLE

3-COLOR

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF8608TC	8W	900	112	OOS[3]	60 x 110	40	**180.00**

Non-Dimmable

20,000H LIFE HOURS | 170-240V OPERATING VOLTAGE | 200° BEAM ANGLE

3 Step Dimming

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF8109DL	9W 4W 1W	950	105	OOS[3]	60 x 116	60	**130.00**
EBF8111DL	11W 5W 1W	1265	115	OOS[3]	60 x 116	60	**145.00**

Dimmable. To be used with standard switch only. Not to be used with any dimming devices.

15,000H LIFE HOURS | 120-240V OPERATING VOLTAGE | 200° BEAM ANGLE

3 Step Dimming

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF309DL*	9W 4.5W 1.4W	806 484 121	89.6	OOS[3]	60 x 116	60	**140.00**

Dimmable. To be used with standard switch only. Not to be used with any dimming devices.

FUNCTIONAL LED BULBS

20,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 200° BEAM ANGLE

New! MOTION SENSOR

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF8408DL	8W	840	105	3★	60 x 120	40	**310.00**
EBF8408WW	8W	806	101	2★	60 x 120	40	**310.00**

Non-Dimmable
Microwave Motion Sensor

20,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 140° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF8409DL	9W	840	93	2★	60 x 116	40	**360.00**
EBF8409WW	9W	806	90	1★	60 x 116	40	**360.00**

Non-Dimmable
PIR Motion Sensor

20,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 200° BEAM ANGLE

DUSK to DAWN

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF8305DL	5W	500	100	2★	60 x 110	40	**200.00**
EBF8308DL	8W	840	105	3★	60 x 120	40	**220.00**

Non-Dimmable

20,000H** LIFE HOURS | 130-240V OPERATING VOLTAGE | 230° BEAM ANGLE | IP54 IP RATING

Water Resistant

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF4109DL	9W	875	97	2★	60 x 120	40	**130.00**
EBF4112DL	12W	1300	106	3★	60 x 120	40	**150.00**

Non-Dimmable
**Rated life without using enclosed fixture.

20,000H** LIFE HOURS | 12V DC | 220° BEAM ANGLE | IP54 IP RATING

Water Resistant

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBF404DL	4W	300	75	OOS[3]	60 x 112	25/50	**180.00**
EBF408DL	8W	600	75	OOS[3]	60 x 112	25/50	**200.00**
EBF412DL	12W	900	75	OOS[3]	65 x 122	25/50	**255.00**
EBF415DL	15W	1425	95	OOS[3]	65 x 122	25/50	**285.00**
EBF418DL	18W	1710	95	OOS[3]	80 x 142	25/50	**320.00**

Non-Dimmable
**Rated life without using enclosed fixture.

*Phased out (PHO) / Until supplies last (USL) items

[1]Philippine Energy Labeling Program, [2]PELP Certificate of Exemption, [3]Out of Scope, Not included in the PELP

FIREFLY® BASIC Series

FILAMENT CLASSIC



- Vintage inspired glow
- Soft, warm illumination
- Perfect for Firefly Pendant Lamps
- Decorative & functional

COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

LAMP BASE
E14 / E27
GU 5.3/ GU10

COLOR RENDERING INDEX
CRI ≥80

DIMENSIONS



LED NON A-BULBS

15,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **280°** BEAM ANGLE

Candle Frosted

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBC403DL/E27	3W	280	93	2★	35 x 98	100	**95.00**
EBC403DL/E14	3W	285	95	2★	35 x 102	100	**85.00**
EBC403WW/E14	3W	270	90	1★	35 x 102	100	**85.00**
EBC403WW/E27	3W	255	85	1★	35 x 98	100	**85.00**
EBC405DL/E27	5W	500	100	2★	35 x 98	100	**100.00**
EBC405DL/E14	5W	500	100	2★	35 x 102	100	**90.00**
EBC405WW/E14	5W	450	90	1★	35 x 102	100	**90.00**
EBC405WW/E27	5W	450	90	1★	35 x 98	100	**90.00**

Non-Dimmable

Candle Clear

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBC503DL/E14	3W	285	95	2★	35 x 102	100	**105.00**
EBC503WW/E14	3W	270	90	1★	35 x 102	100	**105.00**
EBC503DL/E27	3W	300	100	2★	35 x 98	100	**105.00**
EBC503WW/E27	3W	285	95	2★	35 x 98	100	**105.00**
EBC505DL/E14	5W	500	100	2★	35 x 102	100	**120.00**
EBC505WW/E14	5W	450	90	1★	35 x 102	100	**120.00**
EBC505DL/E27	5W	500	100	2★	35 x 98	100	**120.00**
EBC505WW/E27	5W	475	953	2★	35 x 98	100	**120.00**

Non-Dimmable

15,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **320°** BEAM ANGLE

Dimmable Filament Candle

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBC504CD/E14	4W	450	113	OOS[3]	35 x 98	100	**150.00**
EBC504CD/E27	4W	450	113	OOS[3]	35 x 92	100	**150.00**

Filament Candle

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBC904WW**	4W	450	113	3★	35 x 98	100	**140.00**
EBC904WW/E27	4W	450	113	3★	35 x 92	100	**140.00**

Non-Dimmable
**Uses E14 Lamp Base

LED NON A-BULBS

15,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **320°** BEAM ANGLE

Filament Classic

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBI904WW	4W	470	118	4★	60 x 105	40	**125.00**
EBI906WW	6W	806	134	5★	60 x 105	40	**150.00**
EBI909WW	9W	1060	118	4★	60 x 105	40	**170.00**

Non-Dimmable
Uses E27 Lamp Base

Filament Mini Classic

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBI904WW/1	4W	450	113	3★	45 x 80	100	**125.00**

Non-Dimmable
Uses E27 Lamp Base

Filament Full Light

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBI704WW	4W	450	450	4★	60 x 105	50	**200.00**

Non-Dimmable
Uses E27 Lamp Base

Filament Vintage Candle

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBC803WW	3W	200	113	OOS[3]	35 x 98	100	**175.00**

Non-Dimmable
Uses E14 Lamp Base

Filament Vintage

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBI804WW	4W	320	80	OOS[3]	60 x 105	40	**180.00**

Non-Dimmable
Uses E27 Lamp Base

*Phased out (PHO) / Until supplies last (USL) items

[1]Philippine Energy Labeling Program, [2]PELP Certificate of Exemption, [3]Out of Scope, Not included in the PELP

LED BULBS

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

LAMP BASE
E14 / E27
GU 5.3/ GU10

COLOR RENDERING INDEX
CRI ≥80

DIMENSIONS

LED NON A-BULBS

15,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **320°** BEAM ANGLE



Filament Vintage Globe

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBG805WW	5W	470	94	OOS[3]	95 x 138	20	**310.00**

Non-Dimmable
Uses E27 Lamp Base



Filament Vintage Pear

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBST805WW	5W	470	94	OOS[3]	64 x 145	40	**280.00**

Non-Dimmable
Uses E27 Lamp Base



Colored Filament

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBST801C	1W	-	-	OOS[3]	44 x 80	100	**50.00**
EBST801B	1W	-	-	OOS[3]	44 x 80	100	**50.00**
EBST801R	1W	-	-	OOS[3]	44 x 80	100	**50.00**
EBST801G	1W	-	-	OOS[3]	44 x 80	100	**50.00**
EBST801Y	1W	-	-	OOS[3]	44 x 80	100	**50.00**

Non-Dimmable
Uses E27 Lamp Base

15,000H LIFE HOURS | **220-240V** OPERATING VOLTAGE | **220°** BEAM ANGLE



Globe

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBG112DL	12W	1060	88	1★	95 x 128	20	**255.00**
EBG112WW	12W	1040	87	1★	95 x 128	20	**255.00**
EBG114DL	14W	1300	93	2★	95 x 128	20	**290.00**
EBG114WW	14W	1250	89	1★	95 x 128	20	**290.00**
EBG116DL	16W	1520	95	2★	95 x 128	20	**350.00**
EBG116WW	16W	1520	95	2★	95 x 128	20	**350.00**
EBG120DL	20W	1920	96	2★	95 x 128	20	**385.00**

Non-Dimmable
Uses E27 Lamp Base

15,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **200°** BEAM ANGLE



Tubular

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBT107DL	7W	700	100	5★	38 x 115	60	**115.00**
EBT111DL	11W	1100	100	5★	45 x 135	60	**150.00**

Non-Dimmable
Uses E27 Lamp Base

15,000H LIFE HOURS | **150-240V** OPERATING VOLTAGE | **220°** BEAM ANGLE



Capsule

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EHC220DL**	20W	2000	100	2★	150 x 80	20	**300.00**
EHC230DL	30W	3000	100	2★	180 x 100	10	**430.00**
EHC240DL	40W	4000	100	2★	210 x 118	10	**620.00**
EHC250DL	50W	5250	105	3★	238 x 135	8	**790.00**

Non-Dimmable
Material: Diecast Aluminum Body
**120-240V Operating Voltage
Uses E27 Lamp Base

20,000H LIFE HOURS | **120-240V** OPERATING VOLTAGE | **220°** BEAM ANGLE



Capsule

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EHC120DL*	20W	1700	85	COE[2]	80 x 150	20	**390.00**
EHC120CW*	20W	1700	85	COE[2]	80 x 150	20	**390.00**
EHC145DL*	45W	4000	89	COE[2]	140 x 260	10	**895.00**

Non-Dimmable
Material: Diecast Aluminum Body
Uses E27 Lamp Base

LED NON A-BULBS

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **60°** BEAM ANGLE | **IP65** IP RATING



New! COLORED PAR38

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBP914B	14W	-	-	OOS[3]	121 x 134	20	**340.00**
EBP914R	14W	-	-	OOS[3]	121 x 134	20	**340.00**
EBP914G	14W	-	-	OOS[3]	121 x 134	20	**340.00**
EBP914Y	14W	-	-	OOS[3]	121 x 134	20	**340.00**

Non-Dimmable
Uses E27 Lamp Base

25,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **25°** BEAM ANGLE | **IP65** IP RATING



PAR38

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBP910DL	10W	1050	105	OOS[3]	121 x 136	20	**375.00**
EBP910WW	10W	1000	100	OOS[3]	121 x 136	20	**375.00**
EBP914DL	14W	1460	104	OOS[3]	121 x 136	20	**410.00**
EBP914WW	14W	1400	100	OOS[3]	121 x 136	20	**410.00**

Non-Dimmable
Uses E27 Lamp Base

15,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **36°** BEAM ANGLE | **GU5.3** LAMP BASE



MR16

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBH403DLG53	3W	285	95	OOS[3]	50 X 45	100	**90.00**
EBH403WWG53	3W	270	90	OOS[3]	50 X 45	100	**90.00**
EBH405DLG53	5W	525	105	OOS[3]	50 X 45	100	**100.00**
EBH405WWG53	5W	500	100	OOS[3]	50 X 45	100	**100.00**

Non-Dimmable

15,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **36°** BEAM ANGLE | **GU10** LAMP BASE



MR16

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBH403DLG10	3W	285	95	OOS[3]	54 x 50	100	**95.00**
EBH403WWG10	3W	270	90	OOS[3]	54 x 50	100	**95.00**
EBH405DLG10	5W	475	95	OOS[3]	54 x 50	100	**110.00**
EBH405WWG10	5W	450	90	OOS[3]	54 x 50	100	**110.00**

Non-Dimmable

15,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **36°** BEAM ANGLE | **GU10** LAMP BASE



2-COLOR LAMP

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBH404TCG10	4W	400 360	100 90	OOS[3]	60 x 110	100	**140.00**

Non-Dimmable

15,000H LIFE HOURS | **100-240V** OPERATING VOLTAGE | **36°** BEAM ANGLE | **E27** LAMP BASE



MR16

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EBH303WWE27*	3.5W	250	71	OOS[3]	50 x 76	100	**145.00**
EBH305WWE27	5W	350	70	OOS[3]	50 x 76	100	**155.00**

Non-Dimmable

*Phased out (PHO) / Until supplies last (USL) items

[1]Philippine Energy Labeling Program, [2]PELP Certificate of Exemption, [3]Out of Scope, Not included in the PELP

FIREFLY® BASIC Series

LED TUBES



- Bright & even illumination
- Instant on, no flicker
- Energy efficient & long lasting


COLOR TEMPERATURES

- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

COLOR RENDERING INDEX

CRI ≥80

DIMENSIONS



LED TUBES

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
T5 Tube (Double-ended)		**20,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE		**G5** LAMP BASE
ELTS31T508DL	8W	900	113	3★	17 x 600	20	**165.00**
ELTS31T508WW	8W	865	108	3★	17 x 600	20	**165.00**
ELTS31T508CW	8W	900	113	3★	17 x 600	20	**165.00**
ELTS31T516DL	16W	1800	113	3★	17 x 1200	20	**220.00**
ELTS31T516WW	16W	1730	108	3★	17 x 1200	20	**220.00**
ELTS31T516CW	16W	1800	113	3★	17 x 1200	20	**220.00**

Non-Dimmable
Replacement tube for EBTS31



T5 Tube & Box Type Set (Double-ended)			**20,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE		**G5** LAMP BASE
EBTS31/DL08	8W	900	113	3★	35 x 600	20	**240.00**	
EBTS31/WW08	8W	865	108	3★	35 x 600	20	**240.00**	
EBTS31/CW08	8W	900	113	3★	35 x 600	20	**240.00**	
EBTS31/DL16	16W	1800	113	3★	35 x 1200	20	**330.00**	
EBTS31/WW16	16W	1730	108	3★	35 x 1200	20	**330.00**	
EBTS31/CW16	16W	1800	113	3★	35 x 1200	20	**330.00**	

Non-Dimmable
Use T5 Double-ended LED tube as replacement



T8 Tube (Double-ended)			**20,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE		**G13** LAMP BASE
EFS04T8DL09	9W	1260	140	5★	25.4 x 600	25	**145.00**	
EFS04T8DL18	18W	2520	140	5★	25.4 x 1200	25	**190.00**	

Non-Dimmable

T8 Tube (Single-ended) with LED Starter	SHATTERPROOF LAMP		**20,000H** LIFE HOURS		**100-240V** OPERATING VOLTAGE	**200°** BEAM ANGLE		**G13** LAMP BASE
EFS03T8DL09	9W	1080	120	4★	25.4 x 600	25	**145.00**	
EFS03T8DL18	18W	2250	125	4★	25.4 x 1200	25	**190.00**	

Non-Dimmable
Replacement tube for EBTS11/DL09 & EBTS11/DL18



Accessory: LED Tube Clip Holder
LAX442
SRP: 55.00



T8 Tube & Box Type Set (Single-ended)	SHATTERPROOF LAMP		**20,000H** LIFE HOURS		**100-240V** OPERATING VOLTAGE	**200°** BEAM ANGLE		**G13** LAMP BASE
EBTS11/DL09	9W	1080	120	4★	43 x 606	25	**210.00**	
EBTS11/DL18	18W	2250	125	4★	43 x 1222	25	**290.00**	

Non-Dimmable
Use T8 Single-ended LED tube as replacement


[1]Philippine Energy Labeling Program, [2]Out of Scope, Not included in the PELP


LED TUBES & FIXTURES

COLOR TEMPERATURES
● Daylight (DL) 6500K

COLOR RENDERING INDEX
CRI ≥80

DIMENSIONS






LED TUBES


Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
T8 Tube (Single-ended) with LED Starter			**20,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE	**G13** LAMP BASE
EFS06T8DL08	● 8W	1016	127	5★	25.4 x 600	25	**140.00**
EFS06T8DL16	● 16W	2032	127	5★	25.4 x 1200	25	**180.00**
Non-Dimmable Replacement tube for EBTS12/DL08 & EBTS12/DL16							
T8 Tube & Box Type Set (Single-ended)			**20,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE	**G13** LAMP BASE
EBTS12/DL08	● 8W	1016	127	5★	43 x 606	25	**200.00**
EBTS12/DL16	● 16W	2032	127	5★	43 x 1222	25	**270.00**
Non-Dimmable Use Single-ended LED tube as replacement							
Circular LED Tube			**15,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**180°** BEAM ANGLE	**E27** LAMP BASE
ECL815DL	● 15W	1500	100	OOS[3]	Ø260 x 85	20	**400.00**
ECL820DL	● 20W	1800	90	OOS[3]	Ø260 x 85	20	**540.00**
Non-Dimmable							

COLOR TEMPERATURES
● Daylight (DL) 6500K
● Warm White (WW) 3000K
● Cool White (CW) 4000K

COLOR RENDERING INDEX
CRI ≥80


DIMENSIONS





LED BATTENS

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
T5 Batten		**15,000H** LIFE HOURS		**165-250V** OPERATING VOLTAGE	**180°** BEAM ANGLE	
EBTST5DL305	● 5W	400	80	34.3 x 315 x 22	25	**175.00**
EBTST5WW305	● 5W	350	70	34.3 x 315 x 22	25	**175.00**
EBTST5CW305	● 5W	400	80	34.3 x 315 x 22	25	**175.00**
EBTST5DL308	● 8W	700	88	34.3 x 575 x 22	25	**220.00**
EBTST5WW308	● 8W	650	81	34.3 x 575 x 22	25	**220.00**
EBTST5CW308	● 8W	700	88	34.3 x 575 x 22	25	**220.00**
EBTST5DL314	● 14W	1200	86	34.3 x 1024 x 22	25	**290.00**
EBTST5WW314	● 14W	1100	79	34.3 x 1024 x 22	25	**290.00**
EBTST5CW314	● 14W	1200	86	34.3 x 1024 x 22	25	**290.00**
EBTST5DL316	● 16W	1500	94	34.3 x 1175 x 22	25	**315.00**
EBTST5WW316	● 16W	1400	88	34.3 x 1175 x 22	25	**315.00**
EBTST5CW316	● 16W	1500	94	34.3 x 1175 x 22	25	**315.00**
Non-Dimmable						
T5 Batten		**25,000H** LIFE HOURS		**100-240V** OPERATING VOLTAGE	**110°** BEAM ANGLE	
EBTST5DL05*	● 5W	450	90	36 x 300	60	**225.00**
EBTST5WW05*	● 5W	400	80	36 x 300	60	**225.00**
EBTST5DL10*	● 10W	900	90	36 x 585	30	**345.00**
EBTST5WW10*	● 10W	800	80	36 x 585	30	**345.00**
EBTST5WW20*	● 20W	1600	80	36 x 1185	30	**540.00**
Non-Dimmable						
LED Slim Panel Light		**20,000H** LIFE HOURS		**170-240V** OPERATING VOLTAGE	**200°** BEAM ANGLE	
EBTS1018DL	● 18W	1800	100	25 x 596 x 75	30	**420.00**
EBTS1036DL	● 36W	3600	100	25 x 1196 x 75	30	**670.00**
Non-Dimmable						



LED WEATHERPROOF LAMPS


New! **3P LED Integrated Luminaire**		**30,000H** LIFE HOURS	**220-240V** OPERATING VOLTAGE	**125°** BEAM ANGLE	**IP65** IP RATING	
EWP2018DL	● 18W	1620	90	28 x 580 x 32	20	**350.00**
EWP2036DL	● 36W	3240	90	28 x 1180 x 32	12	**550.00**
		20,000H LIFE HOURS	**176-265V** OPERATING VOLTAGE	**110°** BEAM ANGLE	**IP65** IP RATING	
EWP1009DL*	● 9W	810	90	50 x 689 x 43	45	**735.00**
EWP1018DL*	● 18W	1620	90	50 x 1180 x 43	45	**1,000.00**
EWP1036DL*	● 36W	3240	90	66 x 1187 x 48	45	**1,440.00**
Non-Dimmable						

*Phased out (PHO) / Until supplies last (USL) items

[1]Philippine Energy Labeling Program, [3]Out of Scope, Not included in the PELP

LED INDOOR LIGHTING

COLOR TEMPERATURES	COLOR RENDERING INDEX	OPERATING VOLTAGE	BEAM ANGLE
• Daylight (DL) 6500K • Cool White (CW) 4000K	CRI ≥80	220-240V	110°



LED PANEL LIGHTS


Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Backlit Panel Light			**25,000H** LIFE HOURS			
ELU2136DL/2	• 36W	3780	106	300 x 1200 x 30	5	**1,600.00** ↓
ELU2136CW/2	• 36W	3780	105	300 x 1200 x 30	5	**1,600.00** ↓
ELU2136DL/1	• 36W	3420	95	600 x 600 x 30	5	**1,400.00** ↓
ELU2136CW/1	• 36W	3400	92	600 x 600 x 30	5	**1,400.00** ↓
Panel Light			**20,000H** LIFE HOURS			
ELU3040DL/1*	• 40W	3200	80	600 x 600 x 9	5	**2,310.00**
ELU3040CW/1*	• 40W	3200	80	600 x 600 x 9	5	**2,310.00**
ELU3040DL/2*	• 40W	3200	80	300 x 1200 x 9	5	**2,310.00**
ELU3040CW/2*	• 40W	3200	80	300 x 1200 x 9	5	**2,310.00**

Non-Dimmable



Accessory: Surface Bracket (Recessed to Surface)
ELU3040DL/1S, ELU3040DL/2S | ELU3040CW/2S*
SRP: 770.00 **SRP: 600.00**

COLOR TEMPERATURES	COLOR RENDERING INDEX	OPERATING VOLTAGE	BEAM ANGLE
• Warm White (WW) 3000K	CRI ≥80	100-240V	38°



LED SHOP LIGHTS

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Track Light			**20,000H** LIFE HOURS			
ETL1108WW	• 8W	600	75	155 x 85 x 60	6	**955.00**
ETL1115WW	• 15W	1200	80	180 x 135 x 85	6	**1,545.00**

Non-Dimmable



Accessory: Track Bar for LED Track Light
ETL11-TB
Color : Black Dimensions : 1000 x 34 x 17 mm
Material : Aluminum **SRP: 535.00**

COLOR TEMPERATURES	LIFE HOURS
• Daylight (DL) 6500K • Warm White (WW) 3000K • Cool White (CW) 4000K	25,000H







LED STRIP LIGHTS

Item Code & Description	Wattage per meter (W)	Lumens per meter (Lm)	Length (m)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
New! LED Strip Light ADHESIVE BACKING		**12V** INPUT VOLTAGE	**IP44** IP RATING		
ETL112008DL-5	• 8W	896	5	40	**1,300.00**
ETL112008WW-5	• 8W	896	5	40	**1,300.00**
ETL112008CW-5	• 8W	896	5	40	**1,300.00**
Includes 12V Power Adapter Maximum connection: 10 meters		**220V** INPUT VOLTAGE	**IP65** IP RATING		
ETL26006DL-50	• 6W	420	50	1 reel	**6,000.00**
ETL26006WW-50	• 6W	420	50	1 reel	**6,000.00**
ETL26006CW-50	• 6W	420	50	1 reel	**6,000.00**

Accessories for 50 meters Strip Light:

Powercord	Compressor Splice Connector	Clip	End Cap
ETL26006-PW	ETL26006-CS	ETL26006-CP	ETL26006-EC
Qty./Ctn.: 35 pcs.	Qty./Ctn.: 35 pcs.	Qty./Ctn.: 35 pcs.	Qty./Ctn.: 35 pcs.
SRP: 260.00	**SRP: 60.00**	**SRP: 6.00**	**SRP: 4.00**

LED NEON FLEX

New! LED Neon Flex		**220V** INPUT VOLTAGE	**IP65** IP RATING		
ENL212009DL16-50	• 9W	540	50	1 reel	**10,000.00**
ENL212009WW16-50	• 9W	540	50	1 reel	**10,000.00**
ENL212009CW16-50	• 9W	540	50	1 reel	**10,000.00**

Accessories for LED Neon Flex:

Powercord	Compressor Splice Connector	Clip	End Cap
ENL212009-PW	ENL212009-CS	ENL212009-CP	ENL212009-EC
Qty./Ctn.: 60 pcs.	Qty./Ctn.: 60 pcs.	Qty./Ctn.: 60 pcs.	Qty./Ctn.: 60 pcs.
SRP: 260.00	**SRP: 60.00**	**SRP: 6.00**	**SRP: 4.00**

**Phased out (PHO) / Until supplies last (USL) items*

FIREFLY® BASIC Series

WALL LAMPS

In the vastness of our solar system, moons orbit their planets, silently glowing as they reflect the light of the sun. These celestial bodies, each with their own distinct beauty and personality have inspired our Firefly wall lamps. Just as the moons illuminate the night, our wall lamps brighten the night sky - bringing a serene and reliable glow to your outdoor space.

With our moon-inspired outdoor wall lamps, you can transform your entryway, garden or exterior into a space that echoes calm and beauty of a moonlight.




COLOR TEMPERATURES
• Warm White (WW)
3000K

WATERPROOF | LIGHTWEIGHT | EASY TO INSTALL

MATERIAL
Polycarbonate (PC)

DIMENSIONS




New! WALL LAMPS

















Item Code & Description	Color	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Available in		30,000H LIFE HOURS		220-240V OPERATING VOLTAGE	CRI >80 COLOR RENDERING INDEX		IP65 IP RATING
Larissa Up-Down Brick Wall Lamp							
EOU111109WW	• Dark Gray	9W	500	56	172 x 82 x 46 mm	20	**1,200.00**
EOU111209WW	• Gray	9W	500	56	172 x 82 x 46 mm	20	**1,200.00**
Thalassa Up-Down Oval Wall Lamp							
EOU121108WW	• Dark Gray	8W	500	63	172 x 82 x 46 mm	20	**1,150.00**
EOU121208WW	• Gray	8W	500	63	172 x 82 x 46 mm	20	**1,150.00**
Amalthea Mini Rectangle Wall Lamp							
EOU131106WW	• Dark Gray	6W	390	65	240 x 40 x 80 mm	20	**1,100.00**
EOU131206WW	• Gray	6W	390	65	240 x 40 x 80 mm	20	**1,100.00**
Callisto Rectangle Wall Lamp							
EOU141106WW	• Dark Gray	6W	330	55	200 x 39 x 125 mm	20	**1,100.00**
EOU141206WW	• Gray	6W	330	55	200 x 39 x 125 mm	20	**1,100.00**
Thyone Up-Down Rectangle Wall Lamp							
EOU151112WW	• Dark Gray	12W	950	79	200 x 39 x 125 mm	20	**1,300.00**
EOU151212WW	• Gray	12W	950	79	200 x 39 x 125 mm	20	**1,300.00**
Helene Up-Down Wall Lamp							
EOU161106WW	• Dark Gray	6W	390	65	130 x 40 x 140 mm	20	**1,100.00**
EOU161206WW	• Gray	6W	390	65	130 x 40 x 140 mm	20	**1,100.00**
Pallene Prism Wall Lamp							
EOU211101WW	• Dark Gray	1.5W	100	67	100 x 33 x 60 mm	40	**470.00**
EOU211201WW	• Gray	1.5W	100	67	100 x 33 x 60 mm	40	**470.00**
100-240V Operating Voltage							
EOU201103WW	• Dark Gray	3W	150	50	160 x 30 x 70 mm	24	**580.00**
EOU201203WW	• Gray	3W	150	50	160 x 30 x 70 mm	24	**580.00**
100-240V Operating Voltage							
EOU191104WW	• Dark Gray	4W	390	65	220 x 36 x 80 mm	24	**650.00**
EOU191204WW	• Gray	4W	390	65	220 x 36 x 80 mm	24	**650.00**
100-240V Operating Voltage							


LED WALL LAMPS

COLOR TEMPERATURES
• Warm White (WW)
3000K

WATERPROOF | LIGHTWEIGHT | EASY TO INSTALL

MATERIAL
Polycarbonate (PC)

DIMENSIONS



New! WALL LAMPS




Item Code & Description	Color	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Available in ■ ■		**30,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**CRI >80** COLOR RENDERING INDEX		**IP65** IP RATING
Miranda							
Round Wall Lamp							
EOU171103WW	• Dark Gray	3.5W	100	29	Ø 135 x 32 mm	40	**600.00**
EOU171203WW	• Gray	3.5W	100	29	Ø 135 x 32 mm	40	**600.00**
Titania							
Rectangle Wall Lamp							
EOU181103WW	• Dark Gray	3W	75	25	150 x 32 x 90 mm	40	**600.00**
EOU181203WW	• Gray	3W	75	25	150 x 32 x 90 mm	40	**600.00**
Leda							
Geometric Wall Lamp							
EOU251106WW	• Dark Gray	6W	340	57	200 x 51 x 113 mm	20	**860.00**
EOU251206WW	• Gray	6W	340	57	200 x 51 x 113 mm	20	**860.00**
Luna							
Geometric Wall Lamp with sensor							
EOU261106WW	• Dark Gray	6W	270	45	220 x 58 x 113 mm	20	**1,490.00**
EOU261206WW	• Gray	6W	270	45	220 x 58 x 113 mm	20	**1,490.00**
Perdita							
Square Wall Lamp							
EOU231101WW	• Dark Gray	2W	140	70	125 x 27 x 125 mm	24	**680.00**
EOU231201WW	• Gray	2W	140	70	125 x 27 x 125 mm	24	**680.00**
100-240V Operating Voltage							
Cressida							
Round Wall Lamp							
EOU221101WW	• Dark Gray	2W	80	40	Ø 150 x 27 mm	40	**680.00**
EOU221201WW	• Gray	2W	80	40	Ø 150 x 27 mm	40	**680.00**
100-240V Operating Voltage							
Cordelia							
Rectangle Wall Lamp							
EOU241101WW	• Dark Gray	2W	80	40	230 x 27 x 80 mm	24	**780.00**
EOU241201WW	• Gray	2W	80	40	230 x 27 x 80 mm	24	**780.00**
100-240V Operating Voltage							

COLOR TEMPERATURES
• Warm White (WW)
3000K

WATERPROOF | LIGHTWEIGHT | EASY TO INSTALL

MATERIAL
Polycarbonate (PC)

DIMENSIONS



New! STEP LIGHTS



Item Code & Description	Color	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Available in ■ ■		**30,000H** LIFE HOURS		**220-240V** OPERATING VOLTAGE	**CRI >80** COLOR RENDERING INDEX		**IP65** IP RATING
Anthe							
Surface Step Light							
EOU101101WW	• Dark Gray	1.5W	40	27	80 x 29 x 80 mm	40	**480.00**
EOU101201WW	• Gray	1.5W	40	27	80 x 29 x 80 mm	40	**480.00**
Elara							
Recessed Step Light							
EOU271101WW	• Dark Gray	1.5W	38	25	100 x 65 x 50 mm	60	**550.00**
EOU271201WW	• Gray	1.5W	38	25	100 x 65 x 50 mm	60	**550.00**
EOU281103WW	• Dark Gray	3W	84	28	140 x 65 x 50 mm	60	**700.00**
EOU281203WW	• Gray	3W	84	28	140 x 65 x 50 mm	60	**700.00**

FIREFLY® BASIC Series

SOLAR WALL LAMPS

Like the stars that illuminate the night sky, our solar wall lamps shine bright offering reliable light as evening settles in. Named after the stars, these lamps bring warmth & security to homes and pathways, shining like the stars night after night.




- Ideal for entrances & pathways
- Compact yet powerful
- Reliable night time guide
- Weatherproof & Durable

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K


SOLAR PANEL
MONOCRYSTALLINE

IP RATING
IP65




SOLAR GROUND LAMP

Item Code & Description		Lumens (Lm)	Solar Panel Monocrystalline	Battery Capacity	Dimensions (a x b x c mm)	Solar Panel Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
New! SOLAR Ground Lamp					10 Hrs. WORKING TIME	90° BEAM ANGLE	8 Hrs. CHARGING TIME	
Mizar								
EOU51501DL	●	200	5V	1.8Ah	95 x 189 x 290	85 x 137	32	**950.00**
EOU51501WW	●	150	5V	1.8Ah	95 x 189 x 290	85 x 137	32	**950.00**



SOLAR WALL LAMPS

Item Code & Description		Lumens (Lm)	Solar Panel Monocrystalline	Battery Capacity	Dimensions (a x b x c mm)	Solar Panel Size (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
New! SOLAR Wall Lamps MOTION SENSOR					10 Hrs. WORKING TIME	90° BEAM ANGLE	8 Hrs. CHARGING TIME	
Atlas								
EOU51104DL	●	500	5V	1.8Ah	120 x 130 x 54	102 x 102	36	**850.00**
EOU51104WW	●	450	5V	1.8Ah	120 x 130 x 54	102 x 102	36	**850.00**




Antares								
EOU51206DL	●	800	5.5V	2.6Ah	194 x 191 x 43	189.7 x 82	24	**1,200.00**
EOU51206WW	●	750	5.5V	2.6Ah	194 x 191 x 43	189.7 x 82	24	**1,200.00**



Polaris								
EOU51306DL	●	800	5V	1.8Ah	194 x 181 x 79	85 x 137	30	**1,200.00**
EOU51306WW	●	750	5V	1.8Ah	194 x 181 x 79	85 x 137	30	**1,200.00**



								120° BEAM ANGLE
Bellatrix								
EOU51406DL	●	800	5V	1.8Ah	228 x 172 x 78	85 x 137	30	**1,250.00**
EOU51406WW	●	600	5V	1.8Ah	228 x 172 x 78	85 x 137	30	**1,250.00**



SOLAR LED FLOODLIGHTS


Item Code & Description		Lumens (Lm)	Solar Panel Monocrystalline	Battery Type LiFePO4	Dimensions (a x b x c mm)	Solar Panel Size (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
SOLAR Floodlight				30,000H LIFE HOURS	12 Hrs. WORKING TIME	5-6 Hrs. CHARGING TIME		
EFL51050DL	●	600	6V 6W	6Ah	222 x 185 x 44	200 x 210 x 17	10	**1,500.00**
EFL51100DL	●	800	6V 15W	15Ah	257 x 215 x 44	205 x 300 x 17	10	**2,300.00**
EFL51200DL	●	1800	6V 20W	20Ah	290 x 249 x 49	235 x 390 x 17	5	**2,900.00**
EFL51300DL	●	3000	6V 30W	30Ah	288 x 365 x 60	450 x 390 x 17	4	**4,800.00**
New!								
EFL51050WW	●	580	6V 6W	6Ah	222 x 185 x 44	200 x 210 x 17	10	**1,500.00**
EFL51100WW	●	780	6V 15W	15Ah	257 x 215 x 44	205 x 300 x 17	10	**2,300.00**
EFL51200WW	●	1720	6V 20W	20Ah	290 x 249 x 49	235 x 390 x 17	5	**2,900.00**



LED OUTDOOR LIGHTING

COLOR TEMPERATURES	IP RATING	COLOR RENDERING INDEX
• Daylight (DL) 6500K • Warm White (WW) 3000K • Cool White (CW) 4000K	IP65	CRI ≥80


LED FLOODLIGHTS



New! DOB LED Floodlight — 25,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 110° BEAM ANGLE

Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c x d mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
EFL89010DL**	10W	950	95	100 x 91 x 28	40	300.00
EFL89020DL**	20W	1900	95	114 x 112 x 28	40	430.00
EFL89030DL	30W	2850	95	142 x 135 x 28	24	570.00
EFL89050DL	50W	4750	95	183 x 172 x 28	24	820.00
EFL89070DL	70W	7000	100	265.4 x 256.4 x 33.6	6	1,500.00
EFL89100DL	100W	10000	100	265.4 x 256.4 x 33.6	5	2,000.00
EFL89150DL	150W	15000	100	322 x 292.2 x 36.6	5	3,000.00
EFL89200DL	200W	20000	100	372.3 x 333.5 x 38	4	4,000.00


DOB (Driver on Board) is around 35% lighter than a traditional floodlight
**90° Beam Angle



Terra Floodlight — 25,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 110° BEAM ANGLE

EFL88010DL	10W	900	90	114 x 109 x 29.5 x 86	20	350.00
EFL88010WW	10W	850	85	114 x 109 x 29.5 x 86	20	350.00
EFL88020DL	20W	1800	90	138 x 127 x 30 x 103	20	500.00
EFL88020WW	20W	1700	85	138 x 127 x 30 x 103	20	500.00
EFL88030DL	30W	2610	87	167 x 162 x 31 x 122	20	650.00
EFL88030WW	30W	2550	85	167 x 162 x 31 x 122	20	650.00
EFL88050DL	50W	4000	80	197 x 174 x 35 x 137	20	950.00
EFL88050WW	50W	4250	85	197 x 174 x 35 x 137	20	950.00
EFL88070DL	70W	7350	105	245 x 220 x 35.5 x 180	10	1,800.00
EFL88070WW	70W	7000	100	245 x 220 x 35.5 x 180	10	1,800.00
EFL88100DL	100W	10200	102	290 x 290 x 42 x 220	5	2,500.00
EFL88100WW	100W	10000	100	290 x 290 x 42 x 220	5	2,500.00
EFL88150DL	150W	15000	100	350 x 327.5 x 49.5 x 270	5	4,000.00
EFL88150WW	150W	15000	100	350 x 327.5 x 49.5 x 270	5	4,000.00
EFL88200DL	200W	20000	100	395 x 367 x 59 x 300	2	5,500.00
EFL88200WW	200W	20000	100	395 x 367 x 59 x 300	2	5,500.00

DOB (Driver on Board) is around 35% lighter than a traditional floodlight



MOTION SENSOR — Terra Floodlight with Sensor — 20,000H LIFE HOURS | 220-240V OPERATING VOLTAGE | 110° BEAM ANGLE

EFL84020DL	20W	1800	90	138 x 159 x 103 x 53	20	1,000.00
EFL84030DL	30W	2610	87	167 x 180 x 122 x 54	20	1,205.00
EFL84050DL	50W	4000	80	197 x 194 x 137 x 58	10	1,500.00

DOB (Driver on Board) is around 35% lighter than a traditional floodlight




Regular — 20,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 110° BEAM ANGLE

EFL5010DL*	10W	1000	100	105 x 38 x 155	10	450.00
EFL5020DL	20W	2000	100	115 x 38 x 165	10	800.00
EFL5030DL	30W	3000	100	140 x 38 x 190	10	1,090.00
EFL5050DL	50W	5000	100	170 x 38 x 210	10	1,450.00




Regular — 30,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 110° BEAM ANGLE

EFL04100DL	100W	9000	90	296 x 60 x 403	1	3,850.00
EFL04150DL	150W	16500	110	331 x 60 x 453	1	5,600.00



Regular — 20,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 100° BEAM ANGLE

EFL3010DL*	10W	700	70	129 x 180 x 52	10	450.00
EFL3020DL*	20W	1400	70	149 x 180 x 52	10	700.00
EFL3030DL*	30W	2100	70	181 x 240 x 62	10	1,050.00
EFL3050DL*	50W	3500	70	219 x 275 x 66	8	1,400.00



Pad Floodlight — LOW GLARE Eye Protection — 25,000H LIFE HOURS | 100-240V OPERATING VOLTAGE | 110° BEAM ANGLE

EFL3110DL*	10W	850	85	137 x 117 x 27	30	450.00
EFL3120DL*	20W	1700	85	158 x 134 x 28	30	700.00
EFL3130DL*	30W	2250	85	220 x 167 x 35	20	1,050.00
EFL3150DL*	50W	4250	85	300 x 222 x 37	10	1,400.00
EFL3170DL*	70W	5950	85	301 x 222 x 38	10	2,100.00



Tunnel Light — 30,000H LIFE HOURS | 85-265V OPERATING VOLTAGE

EFL2030CW*	32W	3200	100	200 x 286	1	1,200


Note: All LED Floodlights are non-dimmable

*Phased out (PHO) / Until supplies last (USL) items


LED OUTDOOR & INDUSTRIAL LIGHTS

COLOR TEMPERATURES	LIFE HOURS	IP RATING
• Daylight (DL) 6500K	30,000H	IP65

LED STREETLIGHTS




Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b x c mm)	Mounting Hole (mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Blade Streetlight				**30,000H** LIFE HOURS	**100-240V** OPERATING VOLTAGE	**145°** BEAM ANGLE	**IP65** IP RATING
ESL5030DL	• 30W	3300	110	175 x 285 x 63	50	1	**2,400.00** ↓
ESL5060DL*	• 60W	6600	110	293 x 449 x 85	60	1	**5,100.00** ↓
ESL5090DL*	• 90W	9900	110	293 x 449 x 85	60	1	**6,400.00**
ESL5100DL*	• 100W	11000	110	295 x 460 x 85	60	1	**5,500.00** ↓
ESL5120DL*	• 120W	13200	110	293 x 449 x 85	60	1	**6,800.00**
Non-Dimmable							



Blade Streetlight				**30,000H** LIFE HOURS	**100-240V** OPERATING VOLTAGE	**145°** BEAM ANGLE	**IP65** IP RATING
ESL5150DL*	• 150W	16000	106	263 x 583 x 91	60	1	**6,100.00** ↓
Non-Dimmable							

Arm Hole Dimensions

Wattage	Min.	Max.
30W 60W, 90W, 120W, 150W	Ø 40 mm Ø 48 mm	Ø 50 mm Ø 62 mm



Security Light				**30,000H** LIFE HOURS	**90-265V** OPERATING VOLTAGE	**120°** BEAM ANGLE	**IP65** IP RATING
ELSR112DL*	• 12W	960	80	285 x 200 x 105		20	**930.00**
Non-Dimmable							



Streetlight				**30,000H** LIFE HOURS	**90-305V** OPERATING VOLTAGE	**145°** BEAM ANGLE	**IP65** IP RATING
ESL4030DL*	• 30W	3000	100	354 x 265 x 74		1	**5,200.00**
ESL4060DL*	• 60W	6000	100	424 x 265 x 74		1	**8,000.00**
ESL4090DL*	• 90W	9000	100	494 x 265 x 74		1	**10,200.00**
ESL4120DL*	• 120W	12000	100	494 x 265 x 74		1	**12,300.00**
Non-Dimmable							



Streetlight				**30,000H** LIFE HOURS	**85-265V** OPERATING VOLTAGE	**120°** BEAM ANGLE	**IP65** IP RATING
ESL3035DL*	• 35W			450 x 200		5	**4,000.00**
Non-Dimmable							


Arm Hole Dimensions






Accessory: Mounting Adapter
ESL100/MA
SRP: 590.00

LED PARK LIGHTS



Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Park Lamp		**25,000H** LIFE HOURS	**176-264V** OPERATING VOLTAGE	**340°** BEAM ANGLE	**CRI ≥80** COLOR RENDERING INDEX	
EPL1030DL*	• 30W	2700	90	96 x 230	20	**780.00**
Non-Dimmable						

LED INDUSTRIAL LIGHTS



Item Code & Description	Wattage (W)	Lumens (Lm)	Lm/W	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
High Power LED Lamp		**20,000H** LIFE HOURS	**100-240V** OPERATING VOLTAGE		**180°** BEAM ANGLE		**CRI ≥85** COLOR RENDERING INDEX
EHC1040DL	• 40W	4000	100	E27	145 x 218	6	**900.00**
EHC1060DL	• 60W	5500	100	E27	145 x 218	6	**1,300.00**
EHC1080DL	• 80W	7500	100	E40	170 x 228	6	**1,700.00**
EHC1100DL	• 100W	9000	100	E40	190 x 270	6	**2,200.00**
Non-Dimmable							



Reflector for EHC1040DL	Reflector for EHC1060DL	Reflector for EHC1080DL	Reflector for EHC1100DL
EHC1040R	EHC1060R	EHC1080R	EHC1100R
SRP: 150.00	**SRP: 150.00**	**SRP: 150.00**	**SRP: 150.00**



DOB High Bay			**35,000H** LIFE HOURS	**180-240V** OPERATING VOLTAGE		**110°** BEAM ANGLE	**IP65** IP RATING
EHB80100DL	• 100W	11000	110	220 x 50		1	**2,100.00**
EHB80150DL	• 150W	16500	110	260 x 50		1	**3,200.00**
EHB80200DL	• 200W	22000	110	300 x 50		1	**4,000.00**
Non-Dimmable							



High Bay			**30,000H** LIFE HOURS	**100-300V** OPERATING VOLTAGE		**90°** BEAM ANGLE	**IP65** IP RATING
EHD3090DL*	• 90W	9000	100	130 x 337 x 279		1	**10,040.00**
EHD3120DL*	• 120W	12000	100	150 x 337 x 280		1	**10,865.00**
EHD3150DL*	• 150W	15000	100	150 x 337 x 320		1	**12,375.00**
Non-Dimmable							

*Phased out (PHO) / Until supplies last (USL) items

FIREFLY®

PENDANT LAMPS




Our Pendant Lamps are more than just lighting—they're a reflection of our cultural pride and creativity. Each lamp is uniquely named, drawing inspiration from different Filipino dialects that highlight the beauty of its design. This thoughtful wordplay celebrates Firefly's identity as a proudly Filipino brand, resonating with local homes, shops, businesses, and commercial spaces.

Whether illuminating a dining area, retail space, or office, our pendant lamps paired with our filament bulbs offer both function and flair, adding a touch of local charm and modern elegance.

FIREFLY	WIRE SUPPORT LENGTH	LAMP BASE	BULB NOT INCLUDED	DIMENSIONS
	1 Meter	E27		

New! **PENDANT LAMP FIXTURES**

Single Lamp



Kupola
Dome Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100001	Black	170 x 200	8	**849.00**
FDL100002	White	170 x 200	8	**849.00**



Kono
Cone Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100003	White	100 x 350	12	**799.00**
FDL100004	Black	100 x 350	12	**799.00**
FDL100005	Gray	100 x 350	12	**799.00**



Kuwadro
Wrought Iron Square Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100006		60 x 160	12	**849.00**



Kampana
Bell Shaped Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100007		170 x 190	12	**849.00**



Cristal
Geometric Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100008		160 x 210	12	**849.00**



Brillo
Diamond Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100009		200 x 200	8	**849.00**




Dondel
Cylinder Cage Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100010		160 x 190	8	**799.00**



Curva
Nordic Dome Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100011		180 x 195	12	**799.00**



Antik
Iron Vintage Pendant Lamp

Item Code & Description	Color	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FDL100012		140 x 150	12	**799.00**

PENDANT LAMPS & CEILING LIGHT FIXTURES

WIRE SUPPORT LENGTH	LAMP BASE	BULB NOT INCLUDED	DIMENSIONS
1 Meter	E27		

New! PENDANT LAMP FIXTURES

Single Lamp



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Salakot Dome Nordic Pendant Lamp				
FDL100013	Black	Ø 400 x 280	1	**1,799.00**
FDL100014	White	Ø 400 x 280	1	**1,799.00**





Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Sarok Industrial Vintage Pendant Lamp			
FDL100015	Ø 290 x 260	1	**1,499.00**



Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Tala Stellar Pendant Lamp			
FDL100016	Ø 300 x 300	1	**1,899.00**



Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Bale Nordic Cage Pendant Lamp			
FDL100017	220 x 200 x 280	1	**1,899.00**



Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Cuadra Barn Cage Pendant Lamp			
FDL100018	170 x 220	12	**1,599.00**



Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Silong Metal Cage Pendant Lamp			
FDL100019	170 x 260	12	**1,599.00**



Item Code & Description	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Casa Industrial Birch Cage Pendant Lamp			
FDL100020	170 x 240	12	**1,599.00**



Item Code & Description	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Balay Retro Birch Cage Pendant Lamp			
FDL100021	250 x 230	1	**2,199.00**



Item Code & Description	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Brero Hat Cage Oval Pendant Lamp			
FDL100023	240 x 220	8	**1,499.00**



Item Code & Description	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Upat Cube Pendant Lamp			
FDL100024	160 x 280	12	**799.00**




Item Code & Description	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Mayon Triad Pendant Lamp			
FDL100025	230 x 200	12	**799.00**



Item Code & Description	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Oblo Oval Pendant Lamp			
FDL100026	150 x 240	12	**799.00**

PENDANT LAMPS & CEILING LIGHT FIXTURES

WIRE SUPPORT LENGTH	LAMP BASE	BULBS NOT INCLUDED	DIMENSIONS
1 Meter	E27		

New! PENDANT LAMP FIXTURES

Three Lamps



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Roma				
Dome Pendant Lamp Rectangle Plate				
FDL300001	Black	170 x 200 x 500	1	**1,999.00**



FDL300003	White	170 x 200 x 500	1	**1,999.00**



FDL300005	B & W	170 x 200 x 500	1	**1,999.00**



Kubo				
Dome Pendant Lamp Circle Plate				
FDL300002	Black	170 x 200 x 240	1	**1,999.00**



FDL300004	White	170 x 200 x 240	1	**1,999.00**



Apa				
Cone Pendant Lamp Circle Plate				
FDL300006	White, Black, & Gray	100 x 200 x 300	1	**1,899.00**



Vaso				
Cone Pendant Lamp Rectangle Plate in Gradient				
FDL300007	Black, Gray, & White	100 x 200 x 500	1	**1,899.00**



Klasik				
Geometric Vintage Pendant Lamp Rectangle Plate				
FDL300008		160 x 210 x 500	1	**1,699.00**




Antigo				
Geometric Vintage Pendant Lamp Circle Plate				
FDL300009		160 x 210 x 240	1	**1,699.00**



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Hiyas				
Diamond Pendant Lamp Circle Plate				
FDL300010		200 x 200 x 300	1	**1,699.00**



Diya				
Diamond Pendant Lamp Rectangle Plate				
FDL300011		200 x 200 x 500	1	**1,699.00**




Luminoso				
Cylinder Cage Pendant Lamp Rectangle Plate				
FDL300012		160 x 190 x 500	1	**1,999.00**



Lustre				
Cylinder Cage Pendant Lamp Circle Plate				
FDL300013		160 x 190 x 300	1	**1,999.00**



Sinag				
Iron Vintage Pendant Lamp Circle Plate				
FDL300014		140 150 x 240	1	**1,699.00**




Sikat				
Iron Vintage Pendant Lamp Rectangle Plate				
FDL300015		140 x 150 x 500	1	**1,699.00**




Dais				
Cube Pendant Lamp Circle Plate				
FDL300016		160 x 280 x 300	1	**1,799.00**

PENDANT LAMPS & CEILING LIGHT FIXTURES

WIRE SUPPORT LENGTH	LAMP BASE	BULBS NOT INCLUDED	DIMENSIONS
1 Meter	E27		

New! PENDANT LAMP FIXTURES

Three Lamps



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Dado Cube Pendant Lamp Rectangle Plate				
FDL300017		160 x 280 x 500	1	**1,799.00**



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Tres Triad Pendant Lamp				
FDL300018		230 x 200 x 500	1	**1,799.00**



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Kon Oval Pendant Lamp				
FDL300019		150 x 240 x 500	1	**1,799.00**



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Lawon Retro Classic Pendant Lamp				
FDL300021		Ø 225 x 800	1	**2,799.00**



Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Drado Square Metal Pendant Lamp				
FDL300023		280 x 200 x 800	1	**3,499.00**




Item Code & Description	Color	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Lubid Dome Cage Rope Pendant Lamp				
FDL500001		150 x 800 x 800	1	**3,999.00**

STRING LIGHTS



Item Code & Description	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
String Lights			**IP65** IP RATING	
FELH301	10 x E27	30 ft.		**2,145.00**

(10+1) pcs.
EBST801C 1W Filament LED included

COLOR TEMPERATURES				MATERIAL	DIMENSIONS
• Warm White (WW) 3000K	WATERPROOF	LIGHTWEIGHT	EASY TO INSTALL	Polycarbonate (PC)	

New! CEILING LIGHT FIXTURES



Item Code & Description	Color	Wattage (W)	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Dione Cylinder Ceiling Fixture				WATERPROOF	**IP65** IP RATING	
FOU102109E27	• Dark Gray	max 12W	E27	Ø 127 x 170	20	**750.00**
FOU102209E27	• Gray	max 12W	E27	Ø 127 x 170	20	**750.00**



Item Code & Description	Color	Wattage (W)	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Vanth Cylinder Ceiling Fixture						
FOU102109G10	• Dark Gray	max 7W	GU10	Ø 127 x 170	20	**750.00**
FOU102209G10	• Gray	max 7W	GU10	Ø 127 x 170	20	**750.00**



Item Code & Description	Color	Wattage (W)	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Vanth-Slim Cylinder Ceiling Fixture						
FOU122107G10	• Dark Gray	max 7W	GU10	Ø 76 x 170	20	**550.00**
FOU122207G10	• Gray	max 7W	GU10	Ø 76 x 170	20	**550.00**



Item Code & Description	Color	Wattage (W)	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Vanth-Mini Cylinder Ceiling Fixture				SPLASHPROOF	**IP54** IP RATING	
FOU112107G10	• Dark Gray	max 7W	GU10	Ø 94.5 x 140	20	**600.00**
FOU112207G10	• Gray	max 7W	GU10	Ø 94.5 x 140	20	**600.00**



Item Code & Description	Color	Wattage (W)	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Portia Cuboid Ceiling Fixture						
FOU132107G10	• Dark Gray	max 7W	GU10	68 x 65 x 110	40	**500.00**
FOU132207G10	• Gray	max 7W	GU10	68 x 65 x 110	40	**500.00**

CONVENTIONAL LIGHT SOURCE & FIXTURES

COLOR TEMPERATURES	LIFE HOURS	OPERATING VOLTAGE	LAMP BASE		DIMENSIONS
• Daylight (DL) 6500K	8,000H	220-240V	E27	CERTIFIED Product Safety	





COMPACT FLUORESCENT

Item Code & Description	Wattage (W)	Lumens (Lm)	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
2U						
2U03D*	• 3W	150	COE[2]	45 x 111	50/25	**79.95**
2U05D*	• 5W	250	5★	37 x 120	50/25	**95.00**
2U07D*	• 7W	385	5★	37 x 130	50/25	**95.00**
2U09D*	• 9W	495	5★	42 x 150	50/25	**95.00**
2U11D*	• 11W	660	5★	42 x 187	50/25	**100.00**
2U13D*	• 13W	780	5★	42 x 162	50/25	**105.00**
2U15D*	• 15W	930	5★	42 x 175	50/25	**105.00**
2U Junior						
J2U05*	• 5W	238	COE[2]	37 x 105	50/25	**79.95**
J2U07*	• 7W	320	COE[2]	37 x 110	50/25	**79.95**
J2U09*	• 9W	438	COE[2]	37 x 121	50/25	**84.95**
3U						
3U18D*	• 18W	1170	5★	50 x 167	50/25	**130.00**
3U20*	• 20W	1300	5★	50 x 178	50/25	**130.00**
3U23*	• 23W	1495	5★	50 x 178	50/25	**130.00**
3U26*	• 26W	1690	4★	48 x 176	50/25	**130.00**




COMPACT FLUORESCENT

Item Code & Description	Wattage (W)	Lumens (Lm)	PELP[1] Star Rating	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
3U Junior						
J3U11*	• 11W	590	COE[2]	41 x 114	50/25	**119.95**
J3U15*	• 15W	800	COE[2]	41 x 139	50/25	**119.95**
Spiral						
3S14*	• 14W	775	COE[2]	45 x 100	50/25	**125.00**
3S20*	• 20W	1200	4★	57 x 113	50/25	**150.00**
3S23*	• 23W	1495	5★	60 x 117	50	**150.00**
3S24*	• 24W	1680	COE[2]	58 x 137	50/25	**134.95**
3S32*	• 32W	2240	5★	72 x 148	20	**240.00**
3S35*	• 35W	2200	COE[2]	69 x 190	20	**220.00**
3S42*	• 42W	2940	5★	80 x 180	20	**300.00**
3S45*	• 45W	3067	COE[2]	80 x 215	20	**270.00**
3S55*	• 55W	3572	COE[2]	80 x 235	20	**380.00**
3S65*	• 65W	4221	OOS[3]	80 x 240	10	**400.00**
3S85*	• 85W	5354	OOS[3]	100 x 270	10	**600.00**
3S105*	• 105W	6200	OOS[3]	110 x 280	4	**650.00**

LAMP BASE		DIMENSIONS
E27	CERTIFIED Product Safety	






Item Code & Description		Wattage (W)	Lumens (Lm)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
INCANDESCENT						
Standard Lamp				**220V** OPERATING VOLTAGE		
FINS25/F	Frosted	25W	160	60 x 105	100/10	**23.00**
FINS40/F	Frosted	40W	360	60 x 105	100/10	**23.00**
FINS50/F	Frosted	50W	450	60 x 105	100/10	**23.00**
FINS60/F	Frosted	60W	660	60 x 105	100/10	**23.00**
FINS100/F	Frosted	100W	1150	60 x 105	100/10	**24.00**
Standard Lamp				**110V** OPERATING VOLTAGE		
FINS25/110*	Frosted	25W	325	60 x 109	100/10	**20.95**
FINS50/110*	Frosted	50W	60	60 x 109	100/10	**20.95**
Mushroom Lamp				**220V** OPERATING VOLTAGE		
FINM40/F*	Soft White	40W	520	50 x 91	100/10	**24.95**
FINM60/F*	Soft White	60W	780	50 x 91	100/10	**24.95**
FINM100/F*	Soft White	100W	1300	61 x 104	100/10	**24.95**
Candle Lamp				**220V** OPERATING VOLTAGE		
FINC25/F14* **	Frosted	25W	150	35 x 97	100/10	**15.95**
FINC25/C27*	Clear	25W	160	35 x 97	100/10	**15.95**
FINC25/F27*	Frosted	25W	150	35 x 97	100/10	**15.95**
Round Lamp				**220V** OPERATING VOLTAGE		
FINR40/C*	Clear	40W	520	45 x 73	100/10	**14.95**
FINR10/F*	Frosted	10W	65	45 x 73	100/10	**14.95**
FINR25/F*	Frosted	25W	130	45 x 73	100/10	**14.95**
FINR40/F*	Frosted	40W	325	45 x 73	100/10	**14.95**

**E14 Lamp Base

*Phased out (PHO) / Until supplies last (USL) items


[1]Philippine Energy Labeling Program, [2]PELP Certificate of Exemption, [3]Out of Scope, Not included in the PELP


CONVENTIONAL LIGHT SOURCE & FIXTURES

LAMP BASE
E27

DIMENSIONS










Item Code & Description		Wattage (W)	Lumens (Lm)	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
HALOGEN							
Dichroic Reflector Halogen					**12V** OPERATING VOLTAGE		
FHDB12/20*	MR11	20W	360	G4	35 x 35	200/10	**29.95**
FHDB12/35*	MR11	35W	630	G4	35 x 35	200/10	**29.95**
FHDA12/20*	MR16	20W	360	GX5.3	50 x 45	200/10	**29.95**
FHDA12/50*	MR16	50W	900	GX5.3	50 x 45	200/10	**29.95**
Dichroic Reflector Halogen					**220V** OPERATING VOLTAGE		
FHDA220/35*	MR16	35W	630	GX5.3	50 x 45	200/10	**49.95**
FHDA220/50*	MR16	50W	900	GX5.3	50 x 45	200/10	**49.95**
Linear Halogen (J-type)					**220V** OPERATING VOLTAGE		
FHLA150*		150W	2400	R7s	12 x 78	500/10	**39.95**
FHLB500*		500W	10000	R7s	12 x 118	500/10	**39.95**
FHLC1000*		1000W	20000	R7s	12 x 189	500/10	**69.95**
FHLD1500*		1500W	33000	R7s	12 x 254	500/10	**94.95**
Peanut Bulb					**12V** OPERATING VOLTAGE		
FHDP12/20*		20W	360	G4	8 x 21	200/10	**24.95**
FHDP12/35*		35W	630	G4	8 x 21	200/10	**24.95**
Peanut Bulb					**220V** OPERATING VOLTAGE		
FHDP220/35*		35W	630	G4	13 x 44	200/10	**44.95**
FHDP220/50*		50W	900	G4	13 x 44	200/10	**44.95**
PAR38 Halogen Lamp					**220V** OPERATING VOLTAGE		
FPARY80*	Yellow	80W	1440	E27	140 x 132	15	**229.95**
FPARB80*	Blue	80W	1440	E27	140 x 132	15	**229.95**
FPARG80*	Green	80W	1440	E27	140 x 132	15	**229.95**

COLOR TEMPERATURES

- **Daylight (DL)** 6500K
- **Warm White (WW)** 3000K
- **Cool White (CW)** 4000K

OPERATING VOLTAGE
220V











Item Code & Description		Wattage (W)	Lumens (Lm)	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
HIGH INTENSITY DISCHARGE							
Metal Halide Elliptical Lamp							
FHIMH070/E*	●	70W	5600	E27	55 x 138	25	**699.95**
FHIMH150/E*	●	150W	12000	E27	55 x 142	25	**699.95**
FHIMH250/E*	●	250W	20000	E40	91 x 226	20	**734.95**
FHIMH400/E*	●	400W	32000	E40	122 x 290	20	**734.95**
For Tower Light							
Metal Halide Tubular Lamp							
FHIMH070/T*	●	70W	5500	E27	38 x 156	25	**699.95**
FHIMH150/T*	●	150W	11500	E27	47 x 211	25	**699.95**
FHIMH250/T	●	250W	20500	E40	47 x 257	25	**810.00**
FHIMH400/T	●	400W	36000	E40	47 x 283	25	**810.00**
FHIMH1000/T*	●	1000W	85000	E40	66 x 385	20	**2,999.95**
FHIMH070DL/T*	●	70W	4500	E27	38 x 156	25	**699.95**
FHIMH150DL/T	●	150W	9000	E27	47 x 211	25	**699.95**
FHIMH250DL/T	●	250W	18000	E40	47 x 257	25	**810.00**
FHIMH400DL/T	●	400W	28000	E40	47 x 283	25	**810.00**
FHIMH1000DL/T*	●	1000W	82000	E40	66 x 385	20	**2,999.95**
Metal Halide Linear Lamp							
FHIMH070/L*	●	70W	5600	R7s	21 x 118	50	**699.95**
FHIMH150/L*	●	150W	12000	R7s	24 x 136	50	**699.95**
High Pressure Sodium Lamp							
FHIHS070/T	●	70W	6000	E27	38 x 156	25	**505.00**
FHIHS150/T	●	150W	15000	E27	47 x 211	25	**505.00**
FHIHS250/T	●	250W	28000	E40	47 x 257	25	**630.00**
FHIHS400/T*	●	400W	48000	E40	47 x 283	25	**630.00**
Mercury Lamp							
FHIBM160/E*	●	160W	3100	E27	76 x 177	25	**139.95**
FHIBM250/E27*	●	250W	5500	E27	91 x 232	20	**220.00**
FHIBM250/E40*	●	250W	5500	E40	91 x 232	20	**240.00**
FHIBM500/E*	●	500W	11000	E40	122 x 287	10	**360.00**

*Phased out (PHO) / Until supplies last (USL) items

CONVENTIONAL LIGHT SOURCE & FIXTURES

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

OPERATING VOLTAGE
220V

HIGH INTENSITY DISCHARGE




Metal Halide Ballast

Item Code & Description	Wattage (W)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FHIMHB070	70W	6	**855.00**
FHIMHB150	150W	6	**1,210.00**
FHIMHB250	250W	6	**1,550.00**
FHIMHB400	400W	6	**1,955.00**
FHIMHB1000	1000W	2	**6,450.00**

High Pressure Sodium Ballast

220V OPERATING VOLTAGE

Item Code & Description	Wattage (W)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FHIHSB070	70W	6	**855.00**
FHIHSB150	150W	6	**1,195.00**
FHIHSB250	250W	6	**1,590.00**
FHIHSB400	400W	6	**2,010.00**




Metal Halide / HPS Ignitor

220V OPERATING VOLTAGE

Item Code & Description	Wattage (W)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FHIMHI70/400	70-400W	100/20	**379.95**
FHIMHI1000	1000W	100/20	**799.95**

Metal Halide / HPS Capacitor


220V OPERATING VOLTAGE


Item Code & Description		Wattage (W)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FHIMHC070	12 uF	70W	100	**185.00**
FHIMHC150/250	16 uF	150/250W	100	**249.95**
FHIMHC400	25 uF	400W	100	**420.00**
FHIMHC1000	63 uF	1000W	100	**1,099.95**

COLOR TEMPERATURES
- Daylight (DL) 6500K
- Warm White (WW) 3000K
- Cool White (CW) 4000K

LIFE HOURS
10,000H

OPERATING VOLTAGE
220V





FLUORESCENT TUBES

T9 Circular FL Tube

Item Code & Description		Wattage (W)	Lumens (Lm)	PELP[1] Star Rating	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FC22/T9*		22W	990	COE[2]	G10Q	28.6 x 215	20	**130.00**
FC32/T9*		32W	1600	COE[2]	G10Q	28.6 x 310	20	**140.00**
FC40/T9*		40W	2600	COE[2]	G10Q	28.6 x 400	20	**165.00**

Circular Lamp Set with Electronic Ballast

Item Code & Description		Wattage (W)	Lumens (Lm)	PELP[1] Star Rating	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FECLB22		22W	990	COE[2]	E27	28.6 x 215	20	**330.00**
FECLB32		32W	1600	COE[2]	E27	28.6 x 310	20	**400.00**

Straight FL Tube

Item Code & Description		Wattage (W)	Lumens (Lm)	PELP[1] Star Rating	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FS08/T5D*	T5	8W	440	COE[2]	G5	15.9 x 300	25	**60.00**
FS08/T5C*	T5	8W	480	COE[2]	G5	15.9 x 300	25	**47.00**
FS08/T5W*	T5	8W	480	COE[2]	G5	15.9 x 300	25	**60.00**
FS14/T5D*	T5	14W	980	COE[2]	G5	15.9 x 550	25	**77.00**
FS14/T5C*	T5	14W	980	COE[2]	G5	15.9 x 550	25	**63.00**
FS14/T5W*	T5	14W	1008	COE[2]	G5	15.9 x 550	25	**77.00**
FS21/T5D*	T5	21W	1470	COE[2]	G5	15.9 x 850	25	**88.00**
FS21/T5C*	T5	21W	1260	COE[2]	G5	15.9 x 850	25	**71.00**
FS21/T5W*	T5	21W	1575	COE[2]	G5	15.9 x 850	25	**88.00**
FS28/T5D*	T5	28W	1680	COE[2]	G5	15.9 x 1150	25	**94.00**
FS28/T5C*	T5	28W	1680	COE[2]	G5	15.9 x 1150	25	**77.00**
FS10/T8D*	T8	10W	600	COE[2]	G13	25.4 x 330	25	**39.95**
FS18/T8D	T8	18W	1015	2★	G13	25.4 x 590	25	**66.00**
FS18/T8W*	T8	18W	1080	COE[2]	G13	25.4 x 590	25	**59.95**
FS18/T8C*	T8	18W	1080	COE[2]	G13	25.4 x 590	25	**59.95**
FS36/T8D	T8	36W	2390	2★	G13	25.4 x 1200	25	**72.00**
FS36/T8W*	T8	36W	2520	COE[2]	G13	25.4 x 1200	25	**64.95**
FS36/T8C*	T8	36W	2520	COE[2]	G13	25.4 x 1200	25	**64.95**





Electronic Ballast for Circular Lamp with Holder

Item Code & Description	Wattage (W)	Lamp Base	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FECHA22*	22W	E27	20	**165.00**
FECHA32*	32W	E27	20	**200.00**

Starter with Condenser

Item Code & Description	Wattage (W)	Lamp Base	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FSU	4-65W	N/A	500/25	**17.00**

Premium Magnetic Ballast for Straight FL

Item Code & Description	Wattage (W)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FCGFMB20/220*	20W	20/5	**180.00**
FCGFMB40/220*	40W	20/5	**180.00**



Electronic Ballast for Straight FL

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FSEB1x14/220A*	T5	50	**335.00**
FSEB2x14/220A*	T5	50	**400.00**
FSEB2x28/220A*	T5	50	**520.00**
FSEB1x18/220A*	T8	50	**255.00**
FSEB2x18/220A*	T8	80	**305.00**
FSEB1x36/220A*	T8	50	**275.00**
FSEB2x36/220A*	T8	60	**390.00**

[1]Phased out (PHO) / Until supplies last (USL) items

[1]Philippine Energy Labeling Program, [2]PELP Certificate of Exemption



DUSK to DAWN

Photosensor Switch - Surface Type

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDPS06	100	**170.00**

Maximum Load : 1100 Watts
Rated Current : 6A
Input Voltage : 180-240V AC
IP Rating : IP44



Streetlight Photosensor Switch

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDPS10	50	**480.00**

Maximum Load : 1800 Watts
Rated Current : 10A
Input Voltage : 220-240V AC
IP Rating : IP65

MOTION SENSOR



Surface Type Switch

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDSS100	100	**370.00**

Maximum Load : 300 Watts
Detection Angle : 360°
Detection Range : 5M
Input Voltage : 220-240V AC 50/60Hz
IP Rating : IP20



Surface Type Switch

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDSS100	100	**370.00**

Maximum Load : 300 Watts
Detection Angle : 360°
Detection Range : 5M
Input Voltage : 220-240V AC 50/60Hz
IP Rating : IP20



Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDSS800	100	**490.00**

Maximum Load : 800 Watts
Detection Angle : 360°
Detection Range : 5M
Input Voltage : 220-240V AC 50/60Hz
IP Rating : IP20



Recessed Type Switch

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDSS1200	50	**470.00**

Maximum Load : 1200 Watts
Detection Angle : 360°
Detection Range : 5M
Input Voltage : 220-240V AC 50/60Hz
IP Rating : IP20



Recessed Type Switch

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDTS1200	50	**610.00**

Maximum Load : 1200 Watts
Detection Angle : 180°
Detection Range : 5M
Input Voltage : 220-240V AC 50/60Hz
IP Rating : IP44



GU10 Lampholder

2A • 250V

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH105**	White	500	**36.00**

**Pack in 2's



E27 Ceiling Receptacle 2¼"

4A • 250V

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDCRC102	Cream	200/10	**25.00**
FEDCRW102	White	200/10	**25.00**



E27 Ceiling Receptacle 3½"

4A • 250V

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDCRC103	Cream	200/10	**29.00**
FEDCRW103	White	200/10	**29.00**



E27 Ceiling Receptacle 4¼"

4A • 250V

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDCRC104	Cream	120/10	**35.00**
FEDCRW104	White	120/10	**35.00**



E27 Ceiling Receptacle 4¼", Porcelain

4A • 250V

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDCRW204	60/10	**75.00**



Deluxe Plug with Transparent Button

10A • 250V

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDPL107*	White	100/20	**33.95**



Heavy Duty Plug with Ground

20A • 250V

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FEDPL108*	1M Cord	200/20	**47.95**



Dimmer 250 Watts

10A • 250V

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
ECSDM101*	100/20	**179.95**



Keyless Socket

4A • 250V

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH101	200/20	**28.00**



E27 Push Through Socket Extension

New!

6A • 250V

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH102-3	3M Cord	60	**150.00**
FELH102-6	6M Cord	60	**220.00**



E27 Push Through Socket

4A • 250V

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH102	200/20	**45.00**



Pull Chain Socket w/ Flat Pin Outlet

4A • 250V

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH103	200/20	**58.00**



Weatherproof Socket

4A • 250V

Item Code & Description	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH104	200/20	**29.00**

*Phased out (PHO) / Until supplies last (USL) items

LIGHTING FIXTURES

INDOOR FIXTURES - DOWNLIGHTS



Vertical Round Downlight - Surface Mounted

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESSDL214BK	1 x E27	12	**370.00**
FLESSDL214WH	1 x E27	12	**370.00**
FLESSDL216BK	1 x E27	8	**570.00**
FLESSDL216WH	1 x E27	8	**570.00**



Vertical Downlight Recessed Type

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD101SG3.5*	Satin Gold	100/10	**115.00**
FD101SN3.5*	Satin Nickel	100/10	**115.00**
FD101CP3.5*	Copper	100/10	**115.00**
FD101MH3.5*	Mahogany	100/10	**115.00**



Vertical Downlight Recessed Type

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD101GM4*	Gun Metal	100/10	**135.00**
FD101SG4*	Satin Gold	100/10	**135.00**
FD101CP4*	Copper	100/10	**135.00**
FD101MH4*	Mahogany	100/10	**135.00**



Vertical Downlight Surface Type

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESSDL5*	1 x E27	30	**265.00**
FLESSDL6*	1 x E27	18	**290.00**

Vertical Downlight Surface Type - Aluminum For Outdoor Use

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESSDL6-A*	1 x E27	18	**390.00**



Vertical Downlight Recessed Type with Partial Frosted Glass

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD301WH3	1 x E27	50	**150.00**
FD301WH4	1 x E27	40	**250.00**
FD301WH5*	1 x E27	30	**265.00**
FD301WH6	1 x E27	24	**330.00**



Vertical Downlight Recessed Type for Pin Light

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESDLB3.5*	1 x G24D-2	100/10	**93.00**
FLESDLB4*	1 x G24D-2	100/10	**110.00**
FLESDLB6*	1 x G24D-2	100/10	**125.00**



Vertical Downlight Recessed Type

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESDL4/E27*	1 x E27	100	**110.00**
FLESDL6/E27*	1 x E27	100/10	**125.00**
FLESDL7/E27*	1 x E27	100	**135.00**
Non Glossy Reflector			
FLESDL3.5/E27B	1 x E27	100/10	**110.00**
FLESDL4/E27B	1 x E27	100/10	**130.00**
FLESDL6/E27B	1 x E27	100/10	**140.00**
FD101WH8*	1 x E27	50/5	**210.00**
Glossy Reflector			



Fixed MR16 Downlight Fixture with GU10 Lampholder

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD201WH	Ø 60 mm	100	**230.00**



Tiltable MR16 Downlight Fixture with GU10 Lampholder

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD202WH	Ø 70 mm	100	**255.00**
FD203WH	Ø 70 mm	50	**325.00**



Low Glare MR16 Downlight Fixture with GU10 Lampholder

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD204WH	Ø 76 mm	50	**190.00**
FD205WH	Ø 76 mm	50	**315.00**



IP44 MR16 Downlight Fixture with GU10 Lampholder

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD206WH	Ø 60 mm	50	**445.00**
FD207WH	Ø 60 mm	50	**470.00**



Twin MR16 Downlight Fixture with GU10 Lampholder

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD208WH	170 x 80 mm	30	**660.00**




Vertical Downlight Recessed Type with Full Frosted Glass

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD341WH4*	1 x E27	40	**210.00**
FD341WH5*	1 x E27	30	**249.95**



Square Horizontal Downlight Recessed Type with Partial Frosted Glass & Groove

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD456WH4*	2 x E27	20	**240.00**
FD456WH5*	2 x E27	20	**279.95**
FD456WH6*	2 x E27	20	**380.00**
FD456WH9*	2 x E27	12	**420.00**
FD456WH4/1*	1 x E27	20	**229.95**
FD477WH6*	2 x E27	20	**400.00**
FD477WH9*	2 x E27	12	**399.95**



Vertical Downlight Surface Type with Glass Cover

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD161WH4*	1 x E27	30	**250.00**
FD161WH6*	1 x E27	18	**315.00**



Square Vertical Downlight Recessed Type

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD401WH4*	1 x E27	40	**249.95**

Square Vertical Downlight Recessed Type with Partial Frosted Glass

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD421WH3.5*	1 x E27	50	**124.95**
FD421WH4*	1 x E27	40	**199.95**

*Phased out (PHO) / Until supplies last (USL) items

LIGHTING FIXTURES

INDOOR FIXTURES - DOWNLIGHTS



Square Vertical Downlight Surface Type

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD411WH4*	1 x E27	25	**300.00**
FD411WH6*	1 x E27	18	**340.00**
FD411BL6*	1 x E27	18	**340.00**



Horizontal Downlight Recessed Type

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESHDLA5/1*	1 x E27	30	**164.95**
FLESHDLA5/2*	2 x E27	30	**164.95**
FLESHDLA6/2*	2 x E27	30	**174.95**
FD351WH7*	2 x E27	15	**279.95**
FD351WH8*	2 x E27	12	**320.00**



Horizontal Downlight Recessed Type with Partial Frosted Glass

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD361WH4*	1 x E27	24	**230.00**
FD361WH5*	2 x E27	30	**270.00**
FD361WH6*	2 x E27	24	**330.00**
FD361WH8*	2 x E27	12	**380.00**



Horizontal Downlight Recessed Type with Gear Box for Pin Light

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESDLC6/2*	2-Lamp	20	**349.95**



Horizontal Downlight Recessed Type with Glass Cover

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLESHDLB5/1*	1 x E27	30	**229.95**
FLESHDLB5/2*	2 x E27	30	**229.95**
FLESHDLB6/2*	2 x E27	20	**269.95**
FD371WH7*	2 x E27	100	**299.95**
FD371WH8*	2 x E27	100	**330.00**



Square Horizontal Downlight Recessed Type with Full Frosted Glass

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD471WH3*	1 x E27	20	**210.00**
FD476WH4*	2 x E27	20	**235.00**
FD476WH6*	2 x E27	20	**359.95**



Square Recessed Type MR16 Fixed Recessed Lamp

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD672WH4*	1 x GX5.3	100	**109.95**



Square Recessed Type MR16 Uni-directional

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD652WH4*	1 x GX5.3	100	**140.00**



Halogen Dichroic Recessed Fixture - Fixed

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHD11/WF*	1 x G4	100	**54.00**
FLHD16/WF*	1 x GX5.3	100	**50.00**

Halogen Dichroic Recessed Fixture - Revolving

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHD11/WR*	1 x G4	100	**48.00**
FLHD16/WR*	1 x GX5.3	100	**85.00**



Vertical Recessed Type MR16 Fixed Recessed Lamp

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD641WH4*	1 x GX5.3	100	**99.95**



Halogen Multi-directional Recessed Spotlight

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHD16/MD*	1 x GX5.3	100	**199.95**



Square Recessed Type MR16 Fixed

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD651WH3*	1 x GX5.3	100	**83.00**



Square Recessed Type MR16 Uni-directional with Frosted Curved Glass

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD681WH4*	1 x GX5.3	100	**119.95**



Square Recessed Type MR16 Multi-directional

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD653WH4.5*	1 x GX5.3	50	**199.95**



Square Recessed Type MR16 Fixed Recessed Lamp

Item Code & Description		Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FD671WH3.5*	White	50	**119.95**
FD671SV3.5*	Silver	100	**130.00**

INDUSTRIAL LOW BAY



Lampholder Hook Type

Item Code & Description		Size (In.)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHI945	E27		50	**220.00**
FLHI945/E40	E40		50	**330.00**



Low Bay Reflector Bracket for Blended Mercury / CFL

Item Code & Description		Size (In.)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHI915	E27	16”	20	**550.00**



Low Bay Reflector Bracket for Blended Mercury / CFL

Item Code & Description		Size (In.)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHI925*	E27	4.72”	50	**199.95**



Low Bay Aluminum Reflector for Blended Mercury / CFL

Item Code & Description		Size (In.)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHI356/16	45 to 55W	16”	20	**330.00**
FLHI356/14	26W	14”	20	**285.00**
FLHI356/12	26W	12”	20	**275.00**
FLHI356/10	26W	10”	20	**220.00**

*Phased out (PHO) / Until supplies last (USL) items

LIGHTING FIXTURES

INDUSTRIAL HIGH BAY







Item Code & Description			Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
High Bay Aluminum Gear Box for MH / HPS Die-cast Aluminum				
FLHI225*	Gray	E40	4	**1,870.00**
FLHI215*	Gray	E27	4	**1,320.00**
High Bay Polycarbonate Reflector for MH / HPS				
FLHI350/21	400W MH	21”	5	**2,310.00**
FLHI350/19	250W MH	19”	10	**2,145.00**
FLHI350/16	70/150W MH	16”	10	**1,210.00**
Polycarbonate Cover				
FLHI970/21	400W MH	21”	20	**1,320.00**
FLHI970/19	250W MH	19”	25	**1,155.00**
FLHI970/16	70/150W MH	16”	25	**825.00**








Item Code & Description	Size (In.)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
High Bay Aluminum Reflector for MH / HPS			
FLHI326/19 250/400W MH	19”	10	**1,320.00**
Glass Cover			
FLHI977/19	19”	1	**880.00**
High Bay Sand Blasted Reflector for MH / HPS			
FLHI316/16 70/150W MH	16”	10	**990.00**
Glass Cover			
FLHI977/16*	16”	1	**579.95**
Iron Hook for FLHI225 & FLHI215 Gear Box			
FLHI935		300	**110.00**


COMMERCIAL LUMINAIRES - BOX TYPE LUMINAIRE





Item Code & Description		Wattage (W)	Operating Voltage (V)	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
Box Type Luminaire for LED T8 Tube (Single-Ended)						
FLLBT210600*	T8	-	-	625 x 180 x 150	40	**77.00**
Open Type Fixture (Rotary Type)						
FSV1/10*	T8	1 x 10W	12V	350 x 48 x 90	25	**150.00**
FSV1/20*	T8	1 x 20W	12V	610 x 48 x 90	25	**175.00**
FSV1/40*	T8	1 x 40W	12V	1220 x 48 x 90	25	**185.00**

Fixture with Ballast & Starter

COMMERCIAL LUMINAIRES - ELECTRONIC








Item Code & Description		Wattage (W)	Operating Voltage (V)	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
T5 Electronic Fluorescent Lamp						
FLT5/CE1X8DL*	T5	1 x 8W	220V	312 x 22.2 x 35	25	**200.00**
FLT5/CE1X8CW*	T5	1 x 8W	220V	312 x 22.2 x 35	25	**160.00**
FLT5/CE1X8WW*	T5	1 x 8W	220V	312 x 22.2 x 35	25	**200.00**
FLT5/CE1X14DL*	T5	1 x 14W	220V	573 x 22.2 x 35	25	**260.00**
FLT5/CE1X14CW*	T5	1 x 14W	220V	573 x 22.2 x 35	25	**200.00**
FLT5/CE1X14WW*	T5	1 x 14W	220V	573 x 22.2 x 35	25	**260.00**
FLT5/CE1X21DL*	T5	1 x 21W	220V	873 x 22.2 x 35	25	**300.00**
FLT5/CE1X21CW*	T5	1 x 21W	220V	873 x 22.2 x 35	25	**250.00**
FLT5/CE1X21WW*	T5	1 x 21W	220V	873 x 22.2 x 35	25	**300.00**
FLT5/CE1X28CW*	T5	1 x 28W	220V	1173 x 22.2 x 35	25	**290.00**
FLT5/CE1X28WW*	T5	1 x 28W	220V	1173 x 22.2 x 35	25	**370.00**
Slim Type Electronic						
FEWL5128*	T8	1 x 28W	220V	1210 x 25 x 40	20	**699.95**
FEWL8118*	T8	1 x 18W	220V	670 x 35 x 40	20	**449.95**
FEWL8136*	T8	1 x 36W	220V	1280 x 35 x 40	20	**649.95**
Wide Type Electronic						
FEWL8210*	T8	1 x 10W	220V	380 x 105 x 40	20	**399.95**
FEWL8218*	T8	1 x 18W	220V	640 x 105 x 40	20	**519.95**
FEWL8336/2*	T8	2 x 36W	220V	1250 x 115 x 40	20	**1,249.95**


*Phased out (PHO) / Until supplies last (USL) items

LIGHTING FIXTURES

COMMERCIAL LUMINAIRES - 3P FIXTURE WITH REFLECTOR



Item Code & Description		Wattage (W)	T8 Tube (mm)	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
For Single-Ended and Double-Ended T8 LED Tube						
EWPT811600		up to 10W max.	1 x 600 mm	675 x 62 x 60	12	**410.00**
EWPT812600		up to 20W max.	2 x 600 mm	675 x 96 x 60	8	**510.00**
EWPT8211200		up to 20W max.	1 x 1200 mm	1284 x 62 x 6	12	**650.00**
EWPT8221200		up to 40W max.	2 x 1200 mm	1284 x 96 x 6	8	**720.00**
For Straight FL Tube Fixture with Electronic Ballast, IP65						
FLSFWP1X14A*	T5	1 x 14W	220-240V	610 x 70 x 79	20	**670.00**
FLSFWP2X14A*	T5	2 x 14W	220-240V	610 x 106 x 79	16	**820.00**
FLSFWP1X28A*	T5	1 x 28W	220-240V	1210 x 70 x 79	12	**890.00**
FLSFWP2X28A*	T5	2 x 28W	220-240V	1210 x 106 x 79	8	**1,180.00**
FLSFWP1X20A*	T8	1 x 20W	220-240V	655 x 91 x 94	6	**665.00**
FLSFWP2X20A*	T8	2 x 20W	220-240V	655 x 138 x 94	6	**815.00**
FLSFWP1X40A*	T8	1 x 40W	220-240V	1268 x 91 x 94	6	**990.00**
FLSFWP2X40A*	T8	2 x 40W	220-240V	1268 x 138 x 94	4	**1,230.00**
For Straight T8 FL Tube, IP65 - Fixture Only						
FLSFWP1X20A/0*	T8	1 x 20W		655 x 91 x 94	10	**490.00**
FLSFWP2X20A/0*	T8	2 x 20W		655 x 138 x 94	8	**620.00**
FLSFWP2X40A/0*	T8	2 x 40W		1268 x 138 x 94	4	**890.00**



Optional:





Stainless Steel Clip for T5 Waterproof Luminaire
FLSFWP-SSC/T5
• 6 Pcs. for 14 W
• 10 Pcs. for 28 W
SRP: 16.00





Stainless Steel Clipfor T8 Waterproof Luminaire
FLSFWP-SSC/T8
• 6 Pcs. for 20W
• 10 Pcs. for 40W
SRP: 22.00


OPERATING VOLTAGE	IP RATING
220V	**IP65**






















Item Code & Description	Wattage (W)	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLOODLIGHTS					
Compact Fluorescent					
FLCF111*	2 x 30W	E27	280 x 350 x 100	1	**1,219.95**
Fixture Only					
Compact Fluorescent					
FLCF113*	3 x 30W	E27	430 x 550 x 140	1	**2,059.95**
Fixture Only					
Halogen Floodlight with Lamp					
FHFF150*	150W	R7s	138 x 170 x 78	30	**199.95**
FHFF300*	300W	R7s	185 x 245 x 113	20	**254.95**
FHFF500*	500W	R7s	185 x 245 x 113	20	**254.95**
FHFF1000*	1000W	R7s	275 x 245 x 134	12	**629.95**
FHFF1500*	1500W	R7s	345 x 368 x 168	6	**1,099.95**
Neptune Series **Metal Halide Floodlight Tubular Type**					
FLHI111/S/070*	70W	E27	275 x 385 x 102	1	**2,920.00**
FLHI111/S/150	150W	E27	275 x 385 x 102	1	**3,135.00**
Includes Ballast, Ignitor, Capacitor Only					
Metal Halide Tubular Type					
FLMHT250	250W	E40	232 x 435 x 88	1	**4,510.00**
FLMHT400	400W	E40	232 x 435 x 88	1	**5,170.00**
Includes Ballast, Ignitor, Capacitor Only					
Metal Halide Linear Type					
FLMHL070*	70W	R7s	412 x 505 x 138	3	**2,400.00**
FLMHL150*	150W	R7s	412 x 505 x 138	1	**3,300.00**
Includes Ballast, Ignitor, Capacitor Only					
Venus Series **Metal Halide Floodlight Tubular Type**					
FLHI121/S/250	250W	E40	428 x 505 x 144	1	**4,180.00**
FLHI121/S/400	400W	E40	428 x 505 x 144	1	**4,840.00**
Includes Ballast, Ignitor, Capacitor Only					
Uranus Series **Metal Halide Floodlight Tubular Type**					
FLHI181/S/1000	1000W	E40	588 x 380 x 195	1	**18,700.00**
Includes Ballast, Ignitor, Capacitor Only					
Jupiter Series **Metal Halide Floodlight Tubular Type**					
FLHI194/C/1000*	1000W	E40	578 x 500 x 705	1	**17,600.00**
Includes Ballast, Ignitor, Capacitor Only					


*Phased out (PHO) / Until supplies last (USL) items

LIGHTING FIXTURES


OPERATING VOLTAGE

220V


STREETLIGHTS




Item Code & Description	Wattage (W)	Lamp Base	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
High Pressure Sodium Road Lighting Fixture					
FLSRL070	70	E27	530 x 215 x 240	1	**3,630.00**
FLSRL150	150	E27	530 x 215 x 240	1	**3,960.00**
Includes Ballast, Ignitor, Capacitor Only					
HPS Casing Only					
YFSLR 70/150	70 / 150	E27	530 x 215 x 240		**2,200.00**



High Pressure Sodium Road Lighting Fixture					
FLSRL250	250	E40	670 x 270 x 325	1	**6,160.00**
Includes Ballast, Ignitor, Capacitor Only					
HPS Casing Only					
YFSLR250*	250	E40	670 x 270 x 325		**4,199.95**



High Pressure Sodium Road Lighting Fixture					
FLSRL400*	400	E40	760 x 285 x 345	1	**7,150.00**
Includes Ballast, Ignitor, Capacitor Only					
HPS Casing Only					
YFSLR400*	400	E40	760 x 285 x 345	1	**4,299.95**




Security Light with LED Tubular Bulb					
FLSR101	1 x 36W Max.	1 E27	320 x 135 x 145	8	**880.00**
FLSR103	2 x 18W Max.	2 E27	320 x 135 x 145	8	**990.00**




Photocell			
FLRLPCELL	Max. up to 1000W		**2,200.00**


LAMP POSTS




Item Code & Description		Dimensions (a x b x c mm)	Suggested Retail Price (SRP)
(All prices are FOB Manila only)			
• *Hot-dipped galvanized lamp post and arm*			
• *With base plate*			
Single Arm for Lamp Post			
FRL3-SA5X5.4	Single Arm for All Lamp Posts	5 ft. x 5.4 ft.	**3,345.00**
Inner hole diameter: Ø50 mm			



Double Arm for Lamp Post			
FRL/DA5X10	Double Arm for All Lamp Posts	5 ft. x 10 ft.	**5,065.00**
Note: Hot-dipped galvanized Inner hole diameter: Ø50 mm			



Lamp Post			
FRL3-P15-4	Post for Lamp Post 15'	10 ft. x 105 mm Ø	**7,780.00**
FRL3-P20-5	Post for Lamp Post 20'	15 ft.x 125 mm Ø	**11,220.00**
FRL4-P25-5	Post for Lamp Post 25'	20 ft. x 150 mm Ø	**15,830.00**
FRL4-P30-6	Post for Lamp Post 30'	25 ft. x 175 mm Ø	**21,420.00**




Anchor Bolt			
FRLA-M18-100X500	Anchor Bolt for Lamp Post 15'	M18 x 500 mm x 100 mm	**510.00**
FRLA-M18-100X600	Anchor Bolt for Lamp Post 20'	M18 x 600 mm x 100 mm	**555.00**
FRLA-M20-100X600	Anchor Bolt for Lamp Post 25'	M20 x 600 mm x 100 mm	**690.00**
FRLA-M20-100X700	Anchor Bolt for Lamp Post 30'	M20 x 700 mm x 100 mm	**780.00**
Note: Hot-dipped galvanized			

**Phased out (PHO) / Until supplies last (USL) items*

LIGHTING FIXTURES


WALL LAMPS



Projection Light — **IP65** IP RATING

Item Code & Description	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FOWL721	2 x E27	260 X 150		**1,870.00**


Fixture Only



Outdoor Wall Lamp — **IP65** IP RATING

Item Code & Description	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FOWL711	2 x E27	260 X 155	10	**2,070.00**


Fixture Only



Outdoor Wall Lamp — **IP65** IP RATING

Item Code & Description	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FOWL713	2 x E27	315 x 155	12	**1,410.00**

Fixture Only




Outdoor Wall Lamp — **IP65** IP RATING

Item Code & Description	Lamp Base	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FOWL714	2 x E27	315 x 167	12	**2,205.00**

Fixture Only

PATHWAY




Pathway Luminaire Recessed Type — **IP44** IP RATING

Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FWL522*	100 x 223 x 70	20	**400.00**

Fixture Only

GLOBE GARDEN LAMPS




Prismatic Smoke Diffuser Post Installation — **IP44** IP RATING

Item Code & Description	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FOGL512/8*	203 x 100	12	**320.00**
FOGL512/10*	254 x 126		**405.00**

Fixture Only


OUTDOOR IN-GROUND



Garden Lamp-outdoor Halogen Dichroic Lamp, GU5.3 — **IP65** IP RATING

Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FGLH111*	98 x 320 x 68	20	**520.00**

Fixture Only



Garden Lamp-outdoor Halogen Dichroic Lamp, GU5.3 — **IP65** IP RATING

Item Code & Description	Dimensions (a x b x c mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FGLH121*	98 x 320 x 68	20	**520.00**

Fixture Only




OUTDOOR IN-GROUND

Outdoor In-ground for E27 Lampholder — **IP65** IP RATING

Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FOIG312*		170 x 200 x 130	6	**1,599.95**

Fixture Only

WALL TUNNEL OR LIGHTINGS



Triton Series — **IP44** IP RATING

Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLHI511*		330 x 230 x 185		**3,410.00**

Fixture Only


OUTDOOR LAMP HOLDERS



Weatherproof E27 Lampholder In-ground for PAR30 & PAR38 Lamps — **IP65** IP RATING

Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH201	150W	60.84 x 379	12	**340.00**


Fixture Only



Weatherproof Twin E27 Lampholder In-ground for PAR30 & PAR38 Lamps — **IP65** IP RATING

Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH202	2x150W	339 x 201.6	12	**530.00**


Fixture Only



Weatherproof E27 Lampholder Wall / Eaves Mount for PAR30 & PAR38 Lamps — **IP65** IP RATING

Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH211	150W	171.2 x 115	12	**310.00**

Fixture Only



Weatherproof Twin E27 Lampholder Wall / Eaves Mount for PAR30 & PAR38 Lamps — **IP65** IP RATING

Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FELH212	2x150W	99.5 x 339.5	12	**530.00**

Fixture Only


*Phased out (PHO) / Until supplies last (USL) items

FIREFLY® BASIC Series

OUTDOOR LAMP HOLDERS




OUTDOOR LAMP HOLDERS




Post Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES921	E27	410 x 175	10	**470.00**
FLES922	E27	515 x 215	10	**800.00**

Fixture Only




Post Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES923	E27	400 x 165	10	**560.00**

Fixture Only




Post Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES941	E27	400 x 205	8	**1,025.00**

Fixture Only



Post Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES925	E27	400 x 150	10	**515.00**
FLES926	E27	440 x 185	8	**825.00**

Fixture Only



Post Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES928	E27	475 x 160	10	**770.00**


Fixture Only



OUTDOOR LAMP HOLDERS

Wall Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES911	E27	360 x 210	10	**485.00**
FLES912	E27	420 x 235	10	**825.00**

Fixture Only




Wall Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES913	E27	353 x 192	10	**590.00**

Fixture Only



Wall Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES931	E27	355 x 220	8	**1,025.00**

Fixture Only



Wall Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES915	E27	375 x 210	10	**505.00**

Fixture Only



Wall Series				IP43 IP RATING
Item Code & Description	Wattage (W)	Dimensions (a x b mm)	Pkg. (Pcs./Ctn.)	Suggested Retail Price (SRP)
FLES918	E27	420 x 195	10	**770.00**

Fixture Only